north dakota
department of
human services

North Dakota MMIS
Companion Guide to the 005010X217 Health Care Services Review – Request for Review and Response (278)

ND Medicaid
March 2014

Preface

This Companion Guide to the Accredited Standards Committee (ASC) X12 Technical Report Type 3 (TR3) and associated errata adopted under HIPAA clarifies and specifies the data content when exchanging electronically with the North Dakota MMIS. Transmissions based on this Companion Guide, used in tandem with the v5010 ASC X12N Technical Report Type 3 (TR3), are compliant with both ASC X12N syntax and those guides. This Companion Guide is intended to convey information that is within the framework of the TR3 adopted for use under HIPAA. The Companion Guide is not intended to convey information that in any way exceeds the requirements or usages of data expressed in the TR3.

Table of Contents

1 Introduction 1
Scope 2
Overview 3
References 3
Additional Information 3

2 Getting Started 4
Working with North Dakota Medicaid 4
Trading Partner Registration 4
Certification and Testing Overview 5

3 Testing with the North Dakota MMIS 6

4 Connectivity with the North Dakota MMIS 7
Process Flows 7
Editing and Validation Flow Diagram 7
Transmission Administration Procedures 8
Re-Transmission Procedures 9
Communication Protocol Specifications 9
Web Portal 9
ND Enterprise Managed File Transfer 13
Passwords 13

5 Contact Information 15
EDI Customer Service 15
EDI Technical Assistance 15
Provider Services Number 15
Applicable Web site/E-mail 16

6 Control Segments/ Envelopes 17
ISA-IEA 17
GS-GE 17
ST-SE 17

7 North Dakota Medicaid Specific Business Rules and Limitations 18

8 Acknowledgements and/or Reports 19
Transmission Errors and Reports 19

Transmission Errors 19
Report Inventory 20
TA1 Interchange Acknowledgement Rejection Report 20
X12C 999 Implementation Acknowledgment 24
EDIFECS Error Report 28

9 Trading Partner Agreements 31
Trading Partners 31

10 Transaction Specific Information 32
ASC X12N 278 Request For Review 32
ASC X12N 278 Response 36

Appendices 40
Implementation Checklist 40
Business Scenarios 41
Transmission Examples 41
Frequently Asked Questions 41
Change Summary 42

1 Introduction

This 278 Health Care Request for Review and Response Companion Guide is intended for use by Trading Partners in conjunction with the ASC X12N 278 National Electronic Data Interchange Transaction Set Technical Report Type 3 (TR3). The TR3 can be accessed at http://store.x12.org/store/healthcare-5010-consolidated-guides.

This Companion Guide outlines the procedures necessary for engaging in Electronic Data Interchange (EDI) with the North Dakota MMIS and specifies data clarification where applicable. Section 10 Transaction Specific Information contains provider data clarifications for fields and values that are specific for the ND MMIS.

Transaction specific data will be detailed using a table. Each row on the table will contain information on the loop, segment, or data element that is specific to the ND MMIS. The table format is as described below:

TR3 Page	Loop ID	Reference	Name	Codes	Length	Notes/Comments
71	2010A	NM1	Utilization Management Organization (UMO) Name			This type of row always exists to indicate that a new segment has begun. It is always shaded at 10% and notes or comments about the segment itself goes in this cell.
71	2010A	NM103	Name Last or Organization Name		30	This type of row exists to limit the length of the specified data element.
76	2010B	NM1	Requester Name			
77	2010B	NM108	Identification Code Qualifier	XX, 24, 36, 46		These are the only codes transmitted by the payer.

TR3 Page	Loop ID	Reference	Name	Codes	Length	Notes/Comments
			Social Security Number	34		This type of row exists when a note for a particular code value is required. For example, this note may say that value 34 is valid only for particular providers. Not populating the first 3 columns makes it clear that the code value belongs to the row immediately above it.
137	2000E	HI	Patient Diagnosis			
137	2000E	HI01-1	Code List Qualifier Code	ABF, ABK, APR, BF, BK, PR		This row illustrates how to indicate a component data element in the Reference column.

Scope

This Companion Guide is intended for use by North Dakota Medicaid Trading Partners for the submission/retrieval of the X12N 278 transactions to/from ND Medicaid. This Companion Document is to be used in conjunction with the 278 TR3.

ND Medicaid provides connectivity for the flow of medical information and data between medical providers, facilities, vendors, claim payment agencies, clearinghouses and the Front-end Online Transaction Processor (OLTP). Beyond the receipt and delivery of this data, ND Medicaid provides translation to and from ASC X12N standard formats.

The 278 Request for Review/Response transaction data will be exchanged with ND Medicaid for processing and validation of the X12N format(s). Please refer to Section 4 Connectivity with the North Dakota MMIS for more information regarding transmission methods.

Overview

This Companion Guide is divided into 10 Sections. Each section will describe the process or requirement that each Trading Partner must complete to submit and receive X12N transactions for North Dakota Medicaid.

Each section will provide the needed information of how Trading Partners will be required to complete successful transmissions to the North Dakota Medicaid MMIS.

This Companion Guide will provide contact information for obtaining assistance from the North Dakota Medicaid MMIS. As well as data clarifications, including North Dakota Medicaid specific data requirements.

References

This document serves as a companion to the ASC X12N Electronic Data Interchange Technical Report Type 3 (TR3) as adopted under HIPAA. These can be accessed at: http://store.x12.org/store/healthcare-5010-consolidated-guides

Additional Information

For more information on North Dakota Medicaid EDI services for providers, including provider enrollment and claim transaction information, please visit: https://mmis.nd.gov/portals/wps/portal/EnterpriseHome.

2 Getting Started

Working with North Dakota Medicaid

We provide availability for transaction transmission and download retrieval 24 hours a day, seven days a week. This availability is subject to scheduled downtime. It is operational policy to schedule preventative maintenance periods on Sundays from 12:01am to 2:00am CT. In the event of unscheduled downtime, North Dakota Medicaid will resolve the outage as expeditiously as possible.

The following days are recognized as official State holidays. Please note that assistance with any system issues will be very limited on these days.

- New Year's Day, January 1
- Martin Luther King Day, the 3rd Monday in January
- President's Day, the 3rd Monday in February
- Memorial Day, the last Monday in May
- Independence Day, July 4
- Labor Day, the 1st Monday in September
- Veteran's Day, November 11
- Thanksgiving Day, the 4th Thursday in November
- Christmas Day, December 25
- Every day appointed by the President of the United States, or by the Governor of North Dakota for a public holiday

Trading Partner Registration

All entities that send electronic transactions to ND Medicaid for processing and retrieve reports and responses must enroll as EDI Trading Partners. The completed Trading Partner enrollment application provides the ND Customer Service Unit the information necessary to assign a Login Name, Login ID, and Trading Partner ID, which are required to send or retrieve electronic transactions. The Trading Partner enrollment application is

available on the North Dakota Medicaid Web site at:
https://mmis.nd.gov/portals/wps/portal/ProviderEnrollment

Certification and Testing Overview

X12N transaction files are certified by EDIFECS Transaction Manager software. Transaction Manager provides accurate trading partner verification and validation of HIPAA transactions (Type 1 EDI Syntax, Type 2 HIPAA Syntax, and some Type 7 ND Trading Partner Specific). ND Medicaid requires transaction testing with all enrolling Trading Partners .

Once a Trading Partner has successfully enrolled with North Dakota Medicaid, they will be contacted by a Trading Partner Support Specialist. The Support Specialist will guide the Trading Partner through the testing process.

3 Testing with the North Dakota MMIS

Before submitting/retrieving production files with ND Medicaid, the Trading Partner must submit/retrieve two valid test files for each transaction type. If the Trading Partner has received a test status of “Pass”, then the ND EDI Specialist will contact the Trading Partner and update the Trading Partner status to Production.

These tests verify a Trading Partner’s ability to submit/retrieve a specific transaction type containing valid data in the required format. Trading Partners are encouraged to include a minimum of 10 unique inquiries per test file to ensure more comprehensive testing.

Should Trading Partners receive a test status of “Fail”, then Trading Partners should review the error(s) using the EDIFECS Error Report. The ND EDI Specialist will work with the Trading Partner until the file receives a status of “Pass”. If Trading Partners require further assistance with resolving errors, please contact a ND EDI Specialist by email at NDMMISEDI@nd.gov, or call 701-328-4043 or 800-755-2604 (option 1).

4 Connectivity with the North Dakota MMIS

Process Flows

Editing and Validation Flow Diagram



Legend:

1. **Content Identification:** Data identification is attempted. If the data is corrupt or intended for another resource, a TA1 (Interchange Acknowledgement) will be forwarded to the ND EDI Specialist for review and follow-up with the submitter. If the data can be identified, it is then checked for Trading Partner Relationship Validation.
2. **Trading Partner Relationship Validation:** The Trading Partner information is validated. If the Trading Partner information is invalid, a TA1 (Interchange Acknowledgement) will be forwarded to a ND EDI Specialist for review and follow-up with the submitter. If the Trading Partner relationship is valid, the data will be passed for X12N syntax validation.
3. **X12N Syntax Validation:** A determination will be made as to whether the data is ASC X12N. An X12C 999 (Implementation Acknowledgement) will be sent to the mailbox of the submitter. The X12C 999 contains **ACCEPT**, **REJECT or PARTIAL** status. If the file contained syntactical errors, the segment(s) and element(s) where the error(s) occurred will be reported in the X12C 999, and will be further detailed in the EDIFECS Report.
4. **Payer Business Edits:** If the data passes X12N syntax validation, payer business edits, such as the NPI "check digit" validation" will be performed. Any errors found will be returned in an X12C 999, with details explaining the segment(s) and element(s) where the error(s) occurred. The X12C 999 will be sent to the Mailbox System for submitter retrieval.
5. **Data Transformation:** Inbound X12N data is translated to XML format, and passed to the North Dakota MMIS for processing. The 278 outbound transaction file is created and made available to the Trading Partner.

Transmission Administration Procedures

Enrolled North Dakota Trading Partners will submit X12N 278 transaction data to ND Medicaid for processing. ND Medicaid validates submission of X12N format(s). The TA1 Interchange Acknowledgement reports the syntactical analysis of the interchange header and trailer. If the data (Interchange Envelope) is invalid, the file will be rejected. A TA1 will be delivered to the Trading Partner mailbox and a copy forwarded to the ND EDI Specialist for review. If the Trading Partner relationship does not exist (a missing or invalid Trading Partner ID) a TA1 will be generated because the relationship does not exist within the ND Medicaid EDIFECS Trading Partner Management Database. A report of the TA1 will be generated daily and delivered to the ND Customer Service Unit and the ND EDI Specialist for additional review.

An X12C 999 Implementation Acknowledgement is generated when a file has passed the interchange header and trailer validation. A negative X12C 999 is generated if the file contains one or more Type 1 or Type 2 EDI or HIPAA Syntax errors or Type 7 ND Trading Partner Specific errors. The segment(s) and element(s) where the error(s) occurred will be reported to the submitter in the X12C 999 response.

The EDIFECS Error Report will only be produced for Type 1 and Type 2 HIPAA Syntax errors and for Type 7 ND Trading Partner Specific errors.

If you have questions or require assistance with your TA1 or X12C 999 please contact ND Customer Service Unit at NDMMISEDI@nd.gov, or call 701-328-4043 or 800-755-2064 (option 1).

Re-Transmission Procedures

Transmission/Production Issues

When file transmission or technical production issues occur, which could require the re-submission of files, please contact the ND Customer Service Unit by email at NDMMISEDI@nd.gov, or call 701-328-4043 or 800-755-2604 (option 1).

Please have the following information available when calling the ND Customer Service Unit regarding transmission and production issues.

- Trading Partner ID
- Web Portal Login Name (if using the Web Portal)
- Enterprise Managed File Transfer ID (MFT) (if using Secure FTP)

Communication Protocol Specifications

North Dakota Trading Partners can submit X12N files and download files such as the X12N 835, X12N 277CA, TA1, and X12C 999 via the ND Health Enterprise MMIS Web Portal and/or Managed File Transfer (MFT).

Web Portal

The Web Portal method allows a Trading Partner to initiate the submission of a batch file for processing by ND Medicaid. A Trading Partner must be an authenticated portal user who is either an active North Dakota Provider, or an authorized representative of the Provider. The Trading Partner accesses the Web Portal via a Web browser and is prompted for a login and password. Trading Partners may select files for upload from their PC or work environment using the “Browse” function. All 278 files submitted must meet the ASC X12N 278 standard.

Note: All files submitted via the Web Portal must be less than 10MB. The File Name can be a maximum of 80 Characters. A “space” is not allowed in the file name. An “underscore” may be used in the file name instead of a space

Web Portal Upload Procedures

1. In your Web browser, log on to the **North Dakota MMIS Health Enterprise Portal** at https://mmis.nd.gov/portals/wps/portal/EnterpriseHome.
2. From the **EDI** menu, select **Upload X12**.



3. Navigate to the file you wish to upload using the Browse button, or type the path and filename into the File Information field.



4. Click **Submit**. Information on the file submitted is displayed in the **Upload Completed** screen.



5. To retrieve the file confirmation, click on the **Message Center** button to go to your mailbox.

Web Portal Data Retrieval Procedures

The Web Portal allows a Trading Partner to initiate file retrieval. Once logged into the Provider Homepage, multiple functions such as File Retrieval are available.

Downloading Files from the Web Portal

1. In your Web browser, log on to the **North Dakota MMIS Health Enterprise Portal** at https://mmis.nd.gov/portals/wps/portal/EnterpriseHome**.**
2. From the **EDI** menu, select **File Retrieval Mailbox**.



3. Select the **X12** radio button; select a file type; and if desired, enter beginning and end dates for the search.



4. Click the **Search** button. The **Results** view displays files matching the search criteria. From the **Results** view, click the Creation Date of the file for downloads.

   Note: After the first time selecting the files, the **Show All** box needs to be checked to retrieve them again



5010

Creation Date	Filename	File Size
Sep 06, 2012	201209061025750_B_201209061025538_B_270_TP045_20120906102509_20120906102509.dat_999Native.dat	296
Sep 06, 2012	201209061025818_B_201209061025729_B_278_TP045_2_20120906102510_20120906102514.dat_999Native.dat	279
Sep 06, 2012	201209061025766_B_201209061025683_B_276_TP045_2_20120906102510_20120906102510.dat_999Native.dat	279
Sep 06, 2012	201209061025251_B_201209061025184_B_837ITP045_20120906102511_20120906102511.dat_999Native.dat	296
Sep 06, 2012	201209061025849_B_201209061025822_B_837D_TP045_2_20120906102510_20120906102514.dat_999Native.dat	333
Sep 06, 2012	201209060745844_B_201209060745662_B_WhiteSpaceInpnt_20120906074505_20120906074505.dat_999Native.dat	318
Sep 06, 2012	201209060740935_B_201209060740475_B_InvalidProv_20120906074006_20120906074006.dat_999Native.dat	296
Sep 06, 2012	201209060720439_B_201209060720133_B_ProfInvalid_20120906072004_20120906072004.dat_999Native.dat	296
Sep 06, 2012	201209060715584_B_201209060715210_B_LFInpnt_20120906071508_20120906071508.dat_999Native.dat	318
Sep 06, 2012	201209060428407_B_201209060428037_B_201209050839111_B_201209050839339_B_Prof_McarIns1_20120905083915_20120905083922.dat_20120906042817_20120906042817.dat_999Native.dat	296

1 - 10 of 12

1 2 >>

5. Click **Save**, to save the file to your PC.



6. Specify a path for download, and click **Save** again.



ND Enterprise Managed File Transfer

ND Enterprise Managed File Transfer (MFT), or commonly referred to as Secure FTP is an appropriate alternative to the North Dakota Web Portal for large files (i.e. files in excess of 10MB each). MFT setup is separate from Trading Partner Enrollment, but still coordinated through the North Dakota Customer Service Unit. Trading partners may use MFT for submission and retrieval of files. Note that ND Medicaid staff will not provider technical support for applications other than MFT.

Note: File Name is a maximum of 128 Characters. A "space" is not allowed in the inbound file name. An "underscore" may be used in the inbound file name instead of a space.

Managed File Transfer Setup and Support

Upon successful Trading Partner enrollment, a Trading Partner MFT account will be created. Trading Partners set up for submission and/or retrieval of files via the MFT mechanism will receive connectivity details from the Customer Service Unit once setup is complete. This information will include login credentials, policies concerning passwords, file retention, and basic information on site navigation. The ND Enterprise Managed File Transfer secured website is https://mft.nd.gov/.

If the Trading Partner requires support (i.e. account becomes locked or experiences connectivity issues), the Trading Partner should contact the ND Customer Service Unit by email at NDMMISEDI@nd.gov or call 701-328-4043 or 800-755-2604 (option 1).

Passwords

Log in Credentials: In order to receive your authorized user log in credentials all Trading Partners, regardless of submission method, must be enrolled with ND Medicaid and approved as Trading Partners on the ND Health Enterprise MMIS. Log in credentials include names/ids and passwords, that will be required for the submission of transactions to ND Medicaid.

Trading Partner ID: The Trading Partner ID links the Trading Partner to their transaction data and is the ND Health Enterprise MMIS's internal key to accessing their Trading Partner information. Please have this number available each time you contact the ND Customer Service Unit by email at NDMMISEDI@nd.gov or call (800) 755-2604 (option 1) or (701) 328-4043.

The following login credentials are issued depending on the chosen communication method.

Web Portal User ID/Password: This Web Portal User ID allows Trading Partners access to the North Dakota MMIS Health Enterprise Portal for functions that include file submission and file retrieval. The ND Customer Service Unit also uses the logon name to access Web Portal data submissions.

MFT ID/Password: These are the login credentials for the ND Medicaid Managed File Transfer site. These allow FTP Trading Partners to access assigned folders for file submission or to retrieve responses. The ND Customer Service Unit also uses this secure FTP ID to reference your MFT data submissions.

5 Contact Information

EDI Customer Service

The ND Customer Service Unit is available to all North Dakota Medicaid Trading Partners, Monday through Friday from 8:00 a.m. to 5:00 p.m., Central Time, at the following numbers:

Toll Free: (800) 755-2604 (option 1)

Local: (701) 328-4043

EDI Technical Assistance

The ND Customer Service Unit assists users with questions about electronic submissions. The ND Customer Service Unit is available to all North Dakota Medicaid Trading Partners, Monday through Friday from 8:00 a.m. to 5:00 p.m., Central Time, at (800) 755-2604 (option 1) or (701) 328-4043. The Customer Service Unit specializes in the following:

- Provides information on available services
- Creates user accounts for file submission for approved Trading Partners
- Verifies receipt of electronic transmissions
- Provides assistance to Trading Partners experiencing transmission difficulties

Provider Services Number

The ND Customer Service Unit is available to all North Dakota Medicaid Trading Partners, Monday through Friday from 8:00 a.m. to 5:00 p.m., Central Time, at (800) 755-2604 (option 1) or (701) 328-4043.

Applicable Web site/E-mail

Please visit https://mmis.nd.gov/portals/wps/portal/EnterpriseHome for ND Medicaid provider and Trading Partner services information, including Trading Partner enrollment information, FAQs, manuals and related documentation.

6 Control Segments/ Envelopes

ISA-IEA

ND Medicaid will read the Interchange Control Segments to validate the Interchange Envelope of each ASC X12 file received for processing. If the Interchange Envelope is invalid, the Trading Partner will receive a TA1 Interchange Acknowledgement. In the event a TA1 is generated, the TA1 will be delivered to the Trading Partner Mailbox. The ISA table provides sender and receiver codes, authorization and delimiter information.

GS-GE

ND Medicaid permits Trading Partners to submit single or multiple functional groups within an X12 file. If the X12 file contains multiple functional groups, ND Medicaid will split a file containing multiple functional groups in several files for processing. As a result, the Trading Partner will receive multiple X12C 999 Implementation Acknowledgments.

ST-SE

ND Medicaid will require a unique Transaction Set Control Number in the ST02. The ST02 value should match the SE02 value. Should a file contain multiple ST to SE Transaction Sets, each transaction set control number may not be duplicated within the same interchange (ISA to IEA).

7 North Dakota Medicaid Specific Business Rules and Limitations

Many of the data elements detailed in this Companion Guide reflect North Dakota business requirements, but still meet the standard requirements in the ASC X12N TR3. Inclusion of a “business-required” data field, as defined by this Companion Guide, will aid in the delivery of a positive response from the North Dakota Health Enterprise MMIS. For more information regarding North Dakota specific billing requirements, consult the applicable ND Medicaid provider billing manual, which can be downloaded from the North Dakota Medicaid Web site at: https://mmis.nd.gov/portals/wps/portal/EnterpriseHome.

Note on decimal/amount fields: Even though the X12N transaction defines Amount fields as having an 18-byte maximum, there is an additional HIPAA rule that limits all decimal fields to a maximum of 10 characters, including the two implied or reported decimal places. Accordingly, for all decimal or amount fields:

- “123456789012” is not an acceptable amount, because it is greater than 10 bytes.
- “12345678.90” is acceptable because the number of digits is not greater than 10; the decimal point itself is not limited by the rule.
- However, “1234567890” is not acceptable because the X12N engine assumes that a decimal point and succeeding zeroes are implied so that the actual number being communicated is “1234567890.00”, which is greater than 10 bytes.
- The 10-byte limitation applies to all decimal or amount fields, including AMT segments, but also including any other fields that hold amounts or decimals, such as 837 SV207, CAS03, CAS06, CAS09, CAS12, CAS15, CAS18, HI01-5, HI02-5, HCP02 and HCP03, etc.

For all fields not listed in these bullets, follow the guidelines in the ASC X12N Electronic Data Interchange Technical Report Type 3 (TR3), available at http://store.x12.org/store/healthcare-5010-consolidated-guides.

.

8 Acknowledgements and/or Reports

Transmission Errors and Reports

The acceptance/rejection reports generated depend on the type of error, and the level where the error occurs. Depending on the error level, the result may be the rejection of an entire file or a single request.

Transmission Errors

Transmission Errors can occur when there are errors in the ISA segment. The ISA is part of the Interchange Control. A transmission error will occur when the ISA and/or GS Sender and Receiver information is not submitted correctly or does not pass the Edifecs Trading Partner Validation process. When the file is unable to be recognized, an audit report will be generated and posted to the Trading Partner mailbox. If the Trading Partner is unable to be identified in either the ISA or GS, the audit report will still generate and post to a mailbox created for the Trading Partner ID found in the inbound file. The Trading Partner should use the audit report to correct and resubmit their X12 file.

- Example: Leading spaces before the start of the data makes the file unrecognizable. Compliance Check expects “ISA” in the first three spaces.

EDIFECS Audit Report

Error Report *Powered by Edifecs*

Executed Thursday, March 13, 2014 01:16:42 PM (GMT)
C:\Edifecs\XEServer\profiles\Enterprise_NorthDakota_837_835_Batch\workspace\E0222F50-261B-4150-BF69-1A434F7F65E7

This report shows the results of a submitted data file validated against a guideline. If there are errors, you must fix the application that created the data file and then generate and submit a new data file.

Report Summary	Error Severity Summary	File Information
Failed 1 Error(s)	Rejecting Normal:1	Interchange Received: 1 Interchange Accepted: 0

1 Interchange

Interchange Status: Rejected

FunctionalGroup Received: 1
FunctionalGroup Accepted: 0

Sender ID: ND1746
Receiver ID: ND00994
Control Number: 800065404
Date: 130501

Sender Qualifier: ZZ
Receiver Qualifier: ZZ
Version: 00501
Time: 1230

1.1 FunctionalGroup

FunctionalGroup Status: Rejected

TransactionSets Received: 1
TransactionSets Accepted: 0

Sender ID: ND1746
Control Number: 131210002
Date: 20130501

Receiver ID: ND00994
Version: 005010X223A2
Time: 1230

1.1.1 Transaction

Transaction Status: Rejected

Provider Received: 1
Provider Accepted: 0

Control Number: 0001

Transaction ID: 837

#	Error ID	Error	Error Data	SNIP Type	Severity	Guideline Properties
1	0x810005	The number of submitted segments in your file is 46. Number of included segments (SE01) has a value of '47'. Please review the specification and re-submit a test. This error was detected at: Segment Count: 46 Element Count: 1 Characters: 1335 through 1337 Business Message: The values are not equal. Business path: SE/96	SE* 47 *0001	1	Normal	ID: 96 IID: 54430 Name: Number of Included Segments Standard Option: Mandatory User Option: Must Use Max Use: 1 Min Length: 1 Max Length: 10 Type: Numeric with implied decimal

Report Inventory

The three acceptance/rejection reports are:

- TA1 Interchange Acknowledgement
- X12C 999 Implementation Acknowledgement
- EDIFECS Error Report

TA1 Interchange Acknowledgement Rejection Report

The ISA and GS segments contain the header and trailer information within the Interchange (ISA-IEA) and Functional Group (GS-GE) envelopes. Some ISA-IEA and GS-GE problems will result in the entire submission being rejected. A TA1 will be delivered to the Trading Partner mailbox. If the Trading Partner relationship does not exist (a missing or invalid Trading Partner ID) a TA1 will be generated because the relationship does not exist within the ND Medicaid Trading Partner Management

Database (TPMS). A report of the TA1 will be generated daily and delivered to the ND Customer Service Unit for additional review. For additional information regarding the TA1, please refer to the ASC X12C 999 (v005010X231A1) Electronic Data Interchange Technical Report Type 3 (TR3).

The TA1 Interchange Acknowledgement Report may result from various sources:

- The submitted file is not recognized as an X12N file due to file corruption or data errors in the ISA-IEA or GS-GE envelopes.
- The submitted file has errors that would prevent the translation engine from uniquely identifying the file, transaction type, or submitter.
- The Trading Partner identified in GS02 is not recognized, or is not authorized to submit test or production files of that transaction type.
- The ISA01 contains a value other than 00 or 03.

Interchange-Level Errors and the TA1 Rejection Report

Envelope problems that make it impossible to identify the ISA-IEA envelope will result in a TA1 Interchange Acknowledgement rejection of the entire submission.

Examples of Interchange-Level errors that will result in a TA1:

- The submitter ID ("654321" in ISA06) should include trailing spaces to populate the fixed-length 15-byte field. The blank fields in the ISA segment, such as ISA02, must be populated with the correct number of spaces

- The Header Interchange Control Number in ISA13 ("014640000") does not match the Trailer Interchange Control Number in IEA02 ("014640001"). The interchange envelope cannot be validated when the ISA13 and IEA02 do not contain the same values.

```
ISA*00*          *00*          *ZZ*654321*ZZ*NDDHSMED
*120602*0800*^*00501*014640000*1*P*:~
      GS*HI*654321*NDDHSMED*20120602*0800*19990000*X*005010X217~
            ST*278*00001*005010X217~
            BHT*0007*13*0002*20120602*1020~
            HL*1**20*1~
            NM1*PR*2*ND MEDICAID*****PI*NDDHSMED~
            HL*2*1*21*1~
            NM1*1P*2*SMITH*****XX*1105123478~
            N3*22 EAST*35~
            N4*CONCORD*ND*99999~
            PRV*PC*PXC*251C00000X~
            HL*3*2*22*1~
            NM1*IL*1*JONES*JOHN*JAMES***MI*12345678907~
            DMG*D8*19770115*M~
            HL*4*3*EV*0~
            UM*HS*I*1*11:A***G*3*Y*15~
            MSG*MESSAGE TEXT HERE~
            NM1*SJ*1*FOUNDATION NAME*MOVE*XXXXXXX**SR*34*654235896~
            REF*ZH*101852300~
            HL*5*4*SS*0~
            UM*HS*I*******Y~
            MSG*MONEY~
            SE*21*00001~
      GE*1*19990000~
IEA*1*014640001~
```

Functional Group Level Errors and the TA1 Rejection Report

When the ISA-IEA and GS-GE envelopes are identifiable but the Trading Partner is not authorized for the transaction, the entire submission is rejected with a TA1.

Example of a Functional-Group-Level error that will result in a TA1 rejection:

- The Trading Partner identified in GS02 is not recognized, or is not authorized to submit this transaction type in Production.
- If an invalid Receiver ID is transmitted in the GS.

```
ISA*00*          *00*          *ZZ*654321         *ZZ*NDDHSMED
*120716*0800*^*00501*014640001*1*P*:~
      GS*HI*654331*02600068*20120716*0800*19990000*X*005010X217~
            ST*278*00001*005010X217~
            BHT*0007*13*0000*20120716*1020~
            HL*1**20*1~
            NM1*PR*2*ND MEDICAID*****PI*NDDHSMED~
            HL*2*1*21*1~
            NM1*1P*2*SMITH*****24*123456789~
            REF*ZH*1234567~
            N3*22 EAST*35~
            N4*CONCORD*ND*99999~
            PRV*PC*PXC*251C00000X~
            HL*3*2*22*1~
            NM1*IL*1*JONES*JOHN*JAMES***MI*12345678907~
            DMG*D8*19770115*M~
            HL*4*3*19*1~
            UM*HS*I*1*11:A***G*3*Y*15~
            MSG*MESSAGE TEXT HERE~
            NM1*SJ*1*FOUNDATION NAME*MOVE*XXXXXXX**SR*34*654235896~
            REF*ZH*101852300~
            HL*5*4*SS*0~
            UM*HS*I*******Y~
            MSG*MONEY~
            SE*22*00001~
      GE*1*19990000~
IEA*1*014640001~
```

X12C 999 Implementation Acknowledgment

If the file, envelope, and submitter are recognized, the file is passed through Compliance Check to determine the syntactical validity of the X12N submission. An X12C 999 Implementation Acknowledgement will be generated for all files that receive an accepted TA1. If errors are found, a rejected or partial X12C 999 will be generated. If errors are not found, an X12C 999 will be generated with an accepted acknowledgment. If the Trading Partner receives a rejected or partial X12C 999, the Trading Partner will review, correct and resubmit. For additional information regarding the X12C 999, please refer to the ASC X12C 999 (v005010X231A1 Electronic Data Interchange Technical Report Type 3 (TR3). If the Trading Partner requires additional assistance with the X12C 999, please contact the Customer Service Unit.

Interchange Level Errors and the X12C 999 Implementation Acknowledgement

If the Interchange Header is recognizable and all elements are the proper length, but the header contains syntactically invalid data, such as invalid qualifiers or data relationships, an X12C 999 will be generated.

Example of an Interchange-Level error that will result in an X12C 999:

- "K" is technically a valid repetition separator. An accepted TA1 will be produced. However, if "K" is used anywhere in the file, it will be classified as a repetition separator and it will fail as a syntax error on the X12C 999. ND Medicaid recommends using a caret (^) as the repetition separator.

```
ISA*00*          *00*          *XX*654321         *ZZ*NDDHSMED
*120616*0800*K*00501*014640000*1*P*:~
      GS*HI*654321*NDDHSMED*20120616*0800*19990000*X*005010X217~
            ST*278*00001*005010X217~
            BHT*0007*13*0000*20120616*1020~
            HL*1**20*1~
            NM1*PR*2*ND MEDICAID*****PI*NDDHSMED~
            HL*2*1*21*1~
            NM1*1P*2*SMITH*****34*555667777~
            REF*ZH*1234796~
            N3*22 EAST*35~
            N4*CONCORD*ND*99999~
            PRV*PC*ZZ*251C00000X~
            HL*3*2*22*1~
            NM1*IL*1*JONES*KERRY*JANE***MI*12365467890~
            DMG*D8*19770115*F~
            HL*4*3*19*1~
            UM*HS*I*1*11:A***G*3*Y*15~
            MSG*MESSAGE TEXT~
            NM1*SJ*1*FOUNDATION NAME*MOVE*XXXXXXX**SR*34*654235896~
            REF*ZH*101852300~
            HL*5*4*SS*0~
            UM*HS*I*******Y~
            MSG*MONEY~
            SE*22*00001~
      GE*1*19990000~
IEA*1*014640000~
```

Functional Group Level Errors and the X12C 999 Implementation Acknowledgement

When the GS and GE segments are identifiable and the Trading Partner is authorized for the transaction, but a syntactical error is identified in the GS or GE segments, the entire functional group (from GS to GE) is rejected with an X12C 999.

Example of Functional Group Level Error that will result in an X12C 999:

- The transaction was built with incorrect Total Number of transaction sets at the Functional Group Trailer. GE01 should be 2 because the Functional Group contains two ST to SE transaction sets.

```
ISA*00*          *00*          *ZZ*654321         *ZZ*NDDHSMED
*120716*0800*^*00501*014640000*1*P*:~
      GS*HI*654321*NDDHSMED*20120716*0800*19990000*X*005010X217ª1~
            ST*278*00001*005010X217
            BHT*0007*13*0000*20120716*1020~
            HL*1**20*1~
            NM1*PR*2*ND MEDICAID*****PI*NDDHSMED~
            HL*2*1*21*1~
            NM1*1P*2*SMITH*****XX*1105123478~
            N3*22 EAST*35~
            PRV*PC*ZZ*251C00000X~
            HL*3*2*22*1~
            NM1*IL*1*JONES*JOHN*JAMES***MI*12345678907~
            DMG*D8*19770115*M~
            HL*4*3*19*1~
            UM*HS*I*1*11:A***G*3*Y*15~
            MSG*MESSAGE TEXT HERE~
            NM1*SJ*1*FOUNDATION NAME*MOVE*XXXXXXX**SR*34*654235896~
            REF*ZH*101852300~
            HL*5*4*SS*0~
            UM*HS*I*******Y~
            MSG*MONEY~
            SE*20*00001*
            ST*278*00001*005010X217
            BHT*0007*13*0000*20030814*1020~
            HL*1**20*1~
            NM1*PR*2*ND MEDICAID*****PI*NDDHSMED~
            HL*2*1*21*1~
            NM1*1P*2*SMITH*****XX*1105123478~
            N3*22 EAST*35~
            PRV*PC*ZZ*251C00000X~
            HL*3*2*22*1~
            NM1*IL*1*JONES*JOHN*JAMES***MI*12345678907~
            DMG*D8*19770115*M~
            HL*4*3*19*1~
            UM*HS*I*1*11:A***G*3*Y*15~
            MSG*MESSAGE TEXT~
            NM1*SJ*1*FOUNDATION NAME*MOVE*XXXXXXX**SR*34*654235896~
            REF*ZH*101852300~
            HL*5*4*SS*0~
            UM*HS*I*******Y~
            MSG*MONEY~
            SE*20*00001*
      GE*1*19990000~
IEA*1*014640000~
```

Transaction Set Level Errors and the X12C 999

If an error is identified within the Submitter, Receiver, or Provider loops, the entire Transaction Set (ST and SE segments and all segments in between) is rejected with an X12C 999. However, if the functional group consists of additional transactions without errors, the other transactions will be processed.

Example of a Transaction Set Level Error:

- The following example contains an invalid Payer ID of 77101. The Payer ID for North Dakota Medicaid is NDDHSMED.

```
ISA*00*          *00*          *ZZ*654321         *ZZ*NDDHSMED
*120716*1234*U*00501*987654321*0*P*~
     GS*HI*654321*NDDHSMED*20120718*16265868*900000201*X*005010X217ª1
        ST*278*00001*005010X217~
        BHT*0007*13*0000*20120716*1020~
        HL*1**20*1~
        NM1*PR*2*ND MEDICAID*****PI*77101~
        HL*2*1*21*1~
        NM1*1P*2*SMITH*****XX*1105123478~
        N3*22 EAST*35~
        PRV*PC*ZZ*251C00000X~
        HL*3*2*22*1~
        NM1*IL*1*JONES*JOHN*J***MI*12345678907~
        DMG*D8*19770115*M~
        HL*4*3*19*1~
        UM*HS*I*1*11:A***G*3*Y*15~
        MSG*MESSAGE TEXT HERE~
        NM1*SJ*1*FOUNDATION NAME*MOVE*XXXXXXX**SR*34*99995896~
        REF*ZH*999952300~
        HL*5*4*SS*0~
        UM*HS*I*******Y~
        MSG*MONEY~
        SE*20*00001~
    GE*1*900000201
IEA*1*987654321
```

Request-Level Errors and the X12C 999

In a case where header, submitter, receiver, provider, and subscriber loops are all valid, but an error occurs in a single request, only the request containing the error is rejected.

Example of a Request-Level Error:

- In the following example, the facility code value in UM01 (WW) is not valid. The highlighted transaction (HL*6) would cause a rejected X12C 999. The request above it would be passed on for processing.

```
ISA*00*          *00*          *ZZ*654321         *ZZ*NDDHSMED
*120716*1234*U*00501*987654321*0*P*~
GS*HI*654321*NDDHSMED*20120716*16265868*900000201*X*005010X217
   ST*278*00001*005010X217~
     BHT*0007*13*0000*20120716*1020~
     HL*1**20*1~
     NM1*PR*2*ND MEDICAID*****PI*NDDHSMED~
     HL*2*1*21*1~
     NM1*1P*2*SMITH*****XX*1105123478~
     N3*22 EAST*35~
     PRV*PC*ZZ*251C00000X~
     HL*3*2*22*1~
     NM1*IL*1*JONES*JOHN*J***MI*12345678907~
     DMG*D8*19770115*M~
     HL*4*3*19*1~
     UM*HS*I*1*11:A***G*3*Y*15~
     MSG*MESSAGE TEXT HERE~
     NM1*SJ*1*FOUNDAION NAME*MOVE*XXXXXXX**SR*34*99995896~
     REF*ZH*999952300~
     HL*5*4*SS*0~
     UM*HS*I*******Y~
     MSG*MONEY~
  SE*20*00001~
  ST*278*00002*005010X217~
     BHT*0007*13*0000*20030814*1020~
     HL*1**20*1~
     NM1*PR*2*ND MEDICAID*****PI*NDDHSMED~
     HL*2*1*21*1~
     NM1*1P*2*SMITH*****XX*1105123478~
     N3*22 EAST*35~
     PRV*PC*ZZ*251C00000X~
     HL*3*2*22*1~
     NM1*IL*1*JONES*JOHN*JAMES***MI*12345678907~
     DMG*D8*19770115*M~
     HL*4*3*19*1~
     UM*HS*I*1*11:A***G*3*Y*15~
     MSG*MESSAGE TEST HERE~
     NM1*SJ*1*FOUNDATION NAME*MOVE*XXXXXXX**SR*34*654235896~
     REF*ZH*101852300~
     HL*5*4*SS*0~
     UM*SC*I*3*11:B*AA:EM:AP:FL*U*G*4*Y*11~
     DTP*472*D8*20070607~
     MSG*FREE FORM MESSAGE TEXT~
     HL*6*4*SS*0~
     UM*WW*I*3*11:B*AA:EM:AP:FL*U*G*4*Y*11~
     MSG*MONEY~
  SE*24*00002~
GE*2*900000201
IEA*1*987654321
```

EDIFECS Error Report

Every X12N transaction that does not receive a TA1 or X12C 999 transaction rejection will pass through the EDIFECS Compliance Check engine. EDIFECS generates a full report of all Loops, Segments, Elements, along with the data contained within them, and explanations of the errors, if any. This report is especially useful in troubleshooting errors when it is combined with the X12C 999. The EDIFECS reports will be available to Trading Partners in their mailbox.

Below is an abbreviated sample Error Report that shows the level of detail contained in the EDIFECS Error Report. Note that the invalid data is shown in **bold** type, and the full explanation of the error is given in the "Error Message" column.

Sample EDIFECS Error Report

Error Report
Submitted: Thursday, July 09, 2011 10:32:24 (Central Time)
Guideline: Spec7.ecs
Data File: I:\CustomerImplementation\North Dakota\Test Data\278\x12s only\278 – Test

This report shows the results of a submitted data file validated against a guideline. If there are errors, you must fix the application that created the data file and then generate and submit a new data file.

Summary Report

Total Errors: 4
Total Warnings: 0
Total Information: 0

Error Count by WEDI SNIP Type

SNIP Type	SNIP Name	Counts
0	**System**	**0**
1	**EDI Syntax**	**1 Errors** **0 Warnings** **0 Information**
2	**HIPAA Syntax**	**3 Errors** **0 Warnings** **0 Information**

Sample EDIFECS Error Report

#	Error ID	Error Message	Error Data	SNIP Type	Severity	Guideline Properties
1	0x810024	Element ISA05 (Interchange ID Qualifier) does not contain a valid identification code: 'PP' is not allowed. Segment ISA is defined in the guideline at position N/A. This error was detected at: Segment Count: 1 Element Count: 5 Characters: 32 through 34	ISA*00* *00* * **PP** *NDDHSMED *ZZ*77101 *060602*0800*U *00501*014640000*1*T*:	2 - HIPAA Syntax	Normal	Element: ISA05 Name: Interchange ID Qualifier ID: I05 Standard Option: Mandatory Type: ID Min Length: 2 Max Length: 2 User Option: Required

Sample EDIFECS Error Report						
#	Error ID	Error Message	Error Data	SNIP Type	Severity	Guideline Properties
		An invalid code value was encountered				
2	0x810024	Element REF01 (Reference Identification Qualifier) does not contain a valid identification code: 'XX' is not allowed. Segment REF is defined in the guideline at position 180. This error was detected at: Segment Count: 9 Element Count: 1 Characters: 300 through 302 An invalid code value was encountered	REF* **XX** *4837	2 - HIPAA Syntax	Normal	Element: REF01 Name: Reference Identification Qualifier ID: 128 Standard Option: Mandatory Type: ID Min Length: 2 Max Length: 3 User Option: Required
3	0x81003C	Element DMG02 (Date Time Period) contains a lexical format rule - the data in this element did not match the rule. The lexical format pattern specified in the guideline is CCYYMMDD. Segment DMG is defined in the guideline at position 250. This error was detected at: Segment Count: 14 Element Count: 2 Characters: 409 through 416 A lexical format mismatch occurred.	DMG*D8* **1977011** *F	2 - HIPAA Syntax	Normal	Element: DMG02 Name: Date Time Period ID: 1251 Standard Option: Conditional Type: AN Min Length: 1 Max Length: 35 User Option: Required
4	0x39393D2	Element SE02 (Transaction Set Control Number) has a value of '00001'. The expected value was '000011'. Segment SE is defined in the guideline at position 280. This error was detected at: Segment Count: 22 Element Count: 2 Characters: 570 through 575	SE*20* **00001**	1 - EDI Syntax	Normal	Element: SE02 Name: Transaction Set Control Number ID: 329 Standard Option: Mandatory Type: AN Min Length: 4 Max Length: 9 User Option: Required

Sample EDIFECS Error Report						
#	Error ID	Error Message	Error Data	SNIP Type	Severity	Guideline Properties
		The values are not equal.				

9 Trading Partner Agreements

Prior to engaging in EDI with the North Dakota MMIS Enterprise, prospective Trading Partners must complete a Trading Partner enrollment package, which includes a Trading Partner Signature Agreement Form that requires an original signature. Please follow all enrollment instructions and mail the signed Trading Partner Agreement Form to ND Medicaid, along with any other required documents to complete the enrollment application process.

Please find all North Dakota Provider/Trading Partner Enrollment information at: https://mmis.nd.gov/portals/wps/portal/ProviderEnrollment.

The mailing address is:

North Dakota Department of Human Services
Attn: Customer Service
600 East Boulevard Avenue, Dept 325
Bismarck, ND 58505-0250

Trading Partners

In simple terms, an EDI Trading Partner is defined as any provider or agent acting on behalf of a provider that transmits electronic transaction data to or receives electronic transaction data from a health plan.

There are two different types of Trading Partners for the North Dakota Medicaid:

First, there are Vendors, Billing Agents, Clearinghouses and Switch Vendors who engage in Electronic Data Interchange (EDI) which may include claims and eligibility inquiries on behalf of enrolled ND Title XIX providers. These Trading Partners are not enrolled providers, their only interaction with the MMIS is to submit and retrieve electronic data files.

Second, there are providers re-enrolling under the Title XIX Program who use their own software programs to engage in Electronic Data Interchange (EDI) with the North Dakota Medicaid. Some providers may use the MMIS online file upload and retrieval features via the North Dakota MMIS Health Enterprise Portal.

10 Transaction Specific Information

This section contains data clarifications, including North Dakota-specific data requirements. For additional guidance on the use of business rules, please see Section 7 North Dakota Medicaid Specific Business Rules and Limitations.

ASC X12N 278 Request For Review

TR3 Page	Loop ID	Reference	Name	Codes	Length	Notes/Comments
C.3	N/A	ISA	Interchange Control Header			
C.4	N/A	ISA05	Interchange ID Qualifier	ZZ		
C.4	N/A	ISA06	Interchange Sender ID			Trading Partner ID assigned by North Dakota Medicaid
C.5	N/A	ISA07	Interchange ID Qualifier	ZZ		
C.5	N/A	ISA08	Interchange Receiver ID	NDDHSMED		
C.7	N/A	GS	Functional Group Header			
C.7	N/A	GS02	Application Sender's Code			Trading Partner ID assigned by North Dakota Medicaid

TR3 Page	Loop ID	Reference	Name	Codes	Length	Notes/Comments
C.7	N/A	GS03	Application Receiver's Code	NDDHSMED		
67	N/A	BHT	Beginning of Hierarchical Transaction			
67	N/A	BHT02	Transaction Set Purpose Code	13		
71	2010A	NM1	Utilization Management Organization (UMO) Name			
71	2010A	NM101	Entity Identifier Code	PR		
72	2010A	NM103	Name Last or Organization Name	ND Medicaid		
73	2010A	NM108	Identification Code Qualifier	PI		
73	2010A	NM109	Identification Code	NDDHSMED		
76	2010B	NM1	Requester Name			
76	2010B	NM101	Entity Identifier Code	1P		

TR3 Page	Loop ID	Reference	Name	Codes	Length	Notes/Comments
77	2010B	NM108	Identification Code Qualifier	XX, 24, 36, 46		
79	2010B	REF	Requester Supplemental Identification			
79	2010B	REF01	Reference Identification Qualifier	ZH		This qualifier is only to be used for Atypical Providers
80	2010B	REF02	Reference Identification	ND Medicaid Provider ID		
91	2010C	NM1	Subscriber Name			
93	2010C	NM108	Identification Code Qualifier	MI		
93	2010C	NM109	Identification Code	ND Medicaid Member ID		

TR3 Page	Loop ID	Reference	Name	Codes	Length	Notes/Comments
103	2000D	HL	Dependent Level			All Medicaid Members are assigned their own Member ID. There isn't a Subscriber/Dependent relationship that is supported by a single Member ID. All 278 Requests must have the Member request information in the 2000C-Subscriber Level loop. Any information in the 2000D-Dependent Level loop will not be recognized.
120	2000E	UM	Health Care Services Review Information			
120	2000E	UM01	Request Category Code	HS		
238	2000F	UM	Health Care Services Review Information			
238	2000F	UM01	Request Category Code	HS		

ASC X12N 278 Response

TR3 Page	Loop ID	Reference	Name	Codes	Length	Notes/Comments
C.3	N/A	ISA	Interchange Control Header			
C.4	N/A	ISA05	Interchange ID Qualifier	ZZ		
C.4	N/A	ISA06	Interchange Sender ID	NDDHSMED		
C.5	N/A	ISA07	Interchange ID Qualifier	ZZ		
C.5	N/A	ISA08	Interchange Receiver ID			Trading Partner ID assigned by North Dakota Medicaid
C.7	N/A	GS	Functional Group Header			
C.7	N/A	GS02	Application Sender's Code	NDDHSMED		
C.7	N/A	GS03	Application Receiver's Code			Trading Partner ID assigned by North Dakota Medicaid
310	2010A	NM1	Utilization Management Organization (UMO) Name			

TR3 Page	Loop ID	Reference	Name	Codes	Length	Notes/Comments
310	2010A	NM101	Entity Identifier Code	PR		
311	2010A	NM103	Name Last or Organization Name	ND Medicaid		
311	2010A	NM108	Identification Code Qualifier	PI		
312	2010A	NM109	Identification Code	NDDHSMED		
313	2010A	PER	Utilization Management Organization (UMO) Contact Informatino			
314	2010A	PER02	Name	ND Medicaid		
314	2010A	PER03	Communication Number Qualifier	TE		
314	2010A	PER04	Communication Number	7013284043		
314	2010A	PER05	Communication Number Qualifier	TE		
315	2010A	PER06	Communication Number	8007552604		

TR3 Page	Loop ID	Reference	Name	Codes	Length	Notes/Comments
315	2010A	PER07	Communication Number Qualifier	EM		
315	2010A	PER08	Communication Number	NDMMISEDI@nd.gov		
320	2010B	NM1	Requester Name			
320	2010B	NM101	Entity Identifier Code	1P		
321	2010B	NM108	Identification Code Qualifier	XX, 24, 36, 46		
323	2010B	REF	Requester Supplemental Identification			
323	2010B	REF01	Reference Identification Qualifier	ZH		This qualifier is only to be used for Atypical Providers
324	2010B	REF02	Reference Identification	ND Medicaid Provider ID		
331	2010C	NM1	Subscriber Name			
332	2010C	NM108	Identification Code Qualifier	MI		

TR3 Page	Loop ID	Reference	Name	Codes	Length	Notes/Comments
333	2010C	NM109	Identification Code	ND Medicaid Member ID		
367	2000E	UM	Health Care Services Review Information			
367	2000E	UM01	Request Category Code	HS		
469	2000F	UM	Health Care Services Review Information			
469	2000F	UM01	Request Category Code	HS		

Appendices

Implementation Checklist

The North Dakota Customer Service Unit assists new Trading Partners with enrollment and testing. The following checklist will help trading partners to begin exchanging information with ND Medicaid.

Trading Partner Checklist			
	Task	**Responsibility**	**Completed Date**
□	**Review Trading Partner Enrollment Toolkit at:** http://www.nd.gov/dhs/info/mmis.html	**Trading Partner**	
□	**Enroll in the new MMIS as a Trading Partner at:** https://mmis.nd.gov/portals/wps/portal/ProviderEnrollment	**Trading Partner and ND Medicaid**	
□	**Exchange Contact information for Business, Technical and/or Data contacts.** (Name, Phone number, Email address and Mailing Address)	**Trading Partner and ND Medicaid**	
□	**Confirm X12 Transaction selections**	**Trading Partner and ND Medicaid**	
□	**Establish Standard ISA and GS information**	**Trading Partner and ND Medicaid**	
□	**Determine communication method**	**Trading Partner and ND Medicaid**	
□	**Establish a schedule for testing**	**Trading Partner and ND Medicaid**	

□	**Complete the testing for all selected X12 Transactions**	**Trading Partner and ND Medicaid**	
□	**Promote Trading Partner to Production status**	**Trading Partner and ND Medicaid**	
□	**Production cut-over**	**ND Medicaid**	
□	**Begin sending X12 transactions to new MMIS for processing**	**Trading Partner**	

Business Scenarios

Please contact the ND Customer Service Unit to discuss your specific EDI related business needs, should they not be covered in this guide or other available North Dakota Medicaid X12N transaction companion guides.

Transmission Examples

Please contact the ND Customer Service Unit for transmission examples beyond the samples already provided in this guide.

Frequently Asked Questions

For current Provider and Trading Partner FAQs, please visit the following page: https://mmis.nd.gov/portals/wps/portal/ProviderFaq.

Change Summary

Version	Date	Description	Description of Changes
1.0	03/01/2014	Initial Document for Deliverables	Document reformatted to meet CAQH CORE standard companion guide format (Phase I CORE Req. 152).
1.1	10/26/2014	Change ND ID	Change ND ID from ND00994 to NDDHSMED