

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical activity	58.1	54.3 - 61.7	24	51.6	48.3 - 54.9	31	38.8	37.0 - 40.7	90	44.5	43.0 - 46.0	145
b. Nutrition	66.3	62.7 - 69.7	24	50.0	46.8 - 53.2	32	49.8	47.9 - 51.7	90	52.5	51.0 - 54.0	146
c. Tobacco-use prevention	62.6	58.9 - 66.1	24	56.3	53.0 - 59.4	32	47.1	45.2 - 49.1	91	51.5	50.0 - 53.0	147
d. Asthma	24.7	21.6 - 28.0	24	35.5	32.4 - 38.7	31	16.5	15.2 - 18.0	91	21.5	20.3 - 22.8	146
e. Injury and violence prevention	54.4	50.7 - 58.1	24	48.4	45.1 - 51.7	31	32.8	31.1 - 34.7	91	39.4	37.9 - 40.9	146
f. HIV, STD, and teen pregnancy prevention	54.4	50.7 - 58.1	24	41.9	38.7 - 45.2	31	32.8	31.1 - 34.7	91	38.1	36.7 - 39.6	146

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Health education	34.2	30.7 - 37.8	23	40.0	36.8 - 43.3	30	33.2	31.4 - 35.0	91	34.6	33.2 - 36.1	144
b. Physical education	38.4	34.8 - 42.2	23	36.7	33.5 - 39.9	30	33.0	31.2 - 34.8	91	34.5	33.1 - 36.0	144
c. Physical activity	34.2	30.7 - 37.8	23	33.3	30.3 - 36.5	30	26.2	24.6 - 27.9	91	28.8	27.5 - 30.2	144
d. School meal programs	43.1	39.4 - 46.9	23	40.0	36.8 - 43.3	30	31.9	30.1 - 33.7	91	35.2	33.8 - 36.7	144
e. Foods and beverages available at school outside the school meal programs	30.3	27.0 - 33.9	23	40.0	36.8 - 43.3	30	24.0	22.4 - 25.7	91	28.1	26.7 - 29.5	144
f. Health services	36.2	32.5 - 40.0	22	26.7	23.8 - 29.7	30	16.2	14.9 - 17.7	91	21.3	20.1 - 22.5	143
g. Mental health and social services	38.9	35.2 - 42.6	23	26.7	23.8 - 29.7	30	15.3	14.0 - 16.7	91	21.2	20.0 - 22.5	144
h. Healthy and safe school environment	51.7	47.9 - 55.5	23	70.0	66.9 - 73.0	30	45.0	43.1 - 46.9	91	50.8	49.3 - 52.3	144
i. Family and community involvement	56.4	52.6 - 60.1	23	56.7	53.3 - 59.9	30	38.2	36.4 - 40.1	91	44.6	43.1 - 46.2	144
j. Faculty and staff health promotion	43.1	39.4 - 46.9	23	33.3	30.3 - 36.5	30	20.9	19.4 - 22.5	91	26.8	25.5 - 28.2	144

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.\*

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
79.8	76.7 - 82.6	25	79.3	76.4 - 81.9	29	53.6	51.7 - 55.5	89	62.9	61.4 - 64.4	143

\*Among schools that engaged in an improvement planning process during the past year.  
 N = Unweighted number of observations

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
72.1	68.7 - 75.2	25	60.6	57.5 - 63.7	33	72.7	70.9 - 74.3	93	70.2	68.8 - 71.5	151

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
51.9	48.3 - 55.5	25	39.4	36.3 - 42.5	33	48.3	46.4 - 50.2	93	47.1	45.7 - 48.6	151

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. School administrators	100.0	†	13	100.0	†	13	92.8	91.3 - 94.2	44	95.4	94.3 - 96.2	70
b. Health education teachers	100.0	†	13	92.3	89.1 - 94.6	13	88.9	87.0 - 90.5	44	91.5	90.2 - 92.6	70
c. Physical education teachers	100.0	†	13	92.3	89.1 - 94.6	13	86.6	84.7 - 88.4	44	90.1	88.7 - 91.3	70
d. Other classroom teachers	84.1	79.9 - 87.5	13	83.3	79.0 - 86.9	12	70.6	68.0 - 73.0	44	75.1	73.2 - 77.0	69
e. Mental health or social services staff (e.g., school counselors)	54.6	49.5 - 59.5	13	53.8	48.8 - 58.8	13	53.8	51.0 - 56.5	44	53.9	51.8 - 56.1	70
f. Nutrition or food service staff	60.6	55.5 - 65.4	13	69.2	64.4 - 73.7	13	42.6	39.9 - 45.3	44	50.4	48.2 - 52.6	70
g. Health services staff (e.g., school nurse)	38.6	33.8 - 43.7	13	30.8	26.3 - 35.6	13	11.1	9.5 - 13.0	44	19.5	17.9 - 21.3	70
h. Maintenance and transportation staff	0.0	†	13	7.7	5.4 - 10.9	13	4.4	3.4 - 5.7	44	4.2	3.4 - 5.1	70
i. Technology staff	15.1	11.9 - 19.1	13	8.3	5.9 - 11.7	12	18.1	16.1 - 20.3	44	16.0	14.4 - 17.7	69
j. Library/media center staff	7.6	5.3 - 10.7	13	7.7	5.4 - 10.9	13	6.8	5.6 - 8.3	44	7.1	6.1 - 8.3	70
k. Student body	69.7	64.9 - 74.1	13	46.2	41.2 - 51.2	13	40.3	37.7 - 43.0	44	46.7	44.6 - 48.9	70
l. Parents or families of students	77.3	72.8 - 81.2	13	61.5	56.5 - 66.3	13	46.9	44.2 - 49.7	44	55.0	52.8 - 57.2	70

\*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
m. Community members	69.7	64.9 - 74.1	13	50.0	44.8 - 55.2	12	42.3	39.6 - 45.0	44	48.6	46.5 - 50.8	69
n. Local health departments, agencies, or organizations	47.0	42.0 - 52.1	13	38.5	33.7 - 43.5	13	24.3	22.0 - 26.7	44	30.9	28.9 - 32.9	70
o. Faith-based organizations	7.6	5.3 - 10.7	13	7.7	5.4 - 10.9	13	2.2	1.5 - 3.2	44	4.1	3.4 - 5.1	70
p. Businesses	31.9	27.3 - 36.8	13	23.1	19.1 - 27.6	13	6.5	5.3 - 7.9	44	14.0	12.5 - 15.5	70
q. Local government agencies	23.5	19.5 - 28.1	13	30.8	26.3 - 35.6	13	8.8	7.4 - 10.5	44	15.2	13.8 - 16.9	70

\*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.  
 N = Unweighted number of observations

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Identified student health needs based on a review of relevant data	53.8	48.7 - 58.8	13	69.2	64.4 - 73.7	13	38.8	36.1 - 41.5	43	46.8	44.7 - 49.0	69
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	46.2	41.2 - 51.3	13	61.5	56.5 - 66.3	13	50.4	47.7 - 53.2	43	51.6	49.4 - 53.8	69
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	53.8	48.7 - 58.8	13	69.2	64.4 - 73.7	13	46.2	43.5 - 49.0	43	51.6	49.4 - 53.8	69
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	60.6	55.5 - 65.4	13	84.6	80.6 - 87.9	13	67.4	64.8 - 70.0	44	69.1	67.0 - 71.1	70
e. Reviewed health-related curricula or instructional materials	61.4	56.3 - 66.2	13	69.2	64.4 - 73.7	13	50.8	48.0 - 53.6	43	55.9	53.8 - 58.1	69
f. Assessed the availability of physical activity opportunities for students	76.5	71.9 - 80.5	13	69.2	64.4 - 73.7	13	54.0	51.2 - 56.7	44	60.7	58.6 - 62.8	70

\*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.  
N = Unweighted number of observations

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

8. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
61.8	58.1 - 65.3	24	34.4	31.4 - 37.5	32	24.7	23.1 - 26.4	92	32.6	31.2 - 34.0	148

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

9. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Lessons in class	87.4	84.7 - 89.7	25	87.9	85.7 - 89.8	33	78.6	77.0 - 80.1	93	81.9	80.7 - 83.0	151
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	59.9	56.3 - 63.4	25	54.5	51.4 - 57.7	33	27.6	25.9 - 29.3	91	38.5	37.0 - 39.9	149

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

10. Percentage of schools that have adopted a policy that addresses each of the following issues on HIV infection or AIDS.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Attendance of students with HIV infection	68.5	65.0 - 71.7	25	60.6	57.5 - 63.7	33	46.4	44.6 - 48.3	92	53.0	51.5 - 54.4	150
b. Procedures to protect HIV-infected students and staff from discrimination	72.4	69.0 - 75.5	25	66.7	63.6 - 69.6	33	51.9	50.0 - 53.7	92	58.2	56.8 - 59.7	150
c. Maintaining confidentiality of HIV-infected students and staff	83.5	80.6 - 86.1	24	72.7	69.8 - 75.5	33	55.1	53.2 - 56.9	92	63.2	61.8 - 64.7	149

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

11. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
35.4	32.0 - 38.9	25	15.6	13.4 - 18.1	32	8.5	7.5 - 9.6	93	14.3	13.3 - 15.4	150

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

12. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	66.8	63.3 - 70.2	25	51.5	48.3 - 54.7	33	34.3	32.5 - 36.1	93	43.1	41.6 - 44.6	151
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	96.1	94.4 - 97.3	25	84.8	82.4 - 87.0	33	76.3	74.6 - 77.8	93	81.2	80.1 - 82.4	151
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	55.1	51.5 - 58.7	25	51.5	48.3 - 54.7	33	43.1	41.3 - 45.0	93	46.8	45.3 - 48.3	151
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	47.3	43.7 - 50.9	25	39.4	36.3 - 42.5	33	24.7	23.1 - 26.4	93	31.4	30.0 - 32.8	151
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	43.2	39.7 - 46.9	25	36.4	33.4 - 39.5	33	25.9	24.2 - 27.5	93	30.8	29.5 - 32.2	151

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

13. Percentage of schools in which staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
	95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N
Percent			Percent			Percent			Percent		
87.4	84.7 - 89.7	25	81.3	78.6 - 83.6	32	82.2	80.7 - 83.6	91	82.9	81.7 - 84.0	148

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

14. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
91.7	89.4 - 93.6	25	97.0	95.7 - 97.9	33	92.5	91.5 - 93.5	93	93.3	92.5 - 94.0	151

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

15. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	25	97.0	95.7 - 97.9	33	94.5	93.6 - 95.3	93	95.9	95.3 - 96.5	151

† Confidence intervals not applicable for 0 percent or 100 percent.  
 N = Unweighted number of observations

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

16. Percentage of schools that taught a required physical education course in each of the following grades.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence Interval		N	95% Confidence Interval		N	95% Confidence Interval		N	95% Confidence Interval		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Sixth grade	§	§	§	100.0	†	25	100.0	†	55	100.0	†	80
b. Seventh grade	§	§	§	100.0	†	32	100.0	†	89	100.0	†	121
c. Eighth grade	§	§	§	100.0	†	32	100.0	†	89	100.0	†	121
d. Ninth grade	95.3	93.4 - 96.7	21	-	-	1	90.2	89.0 - 91.2	91	91.2	90.2 - 92.1	113
e. Tenth grade	70.0	66.4 - 73.3	24	§	§	§	51.5	49.6 - 53.4	91	55.3	53.6 - 56.9	115
f. Eleventh grade	49.5	45.8 - 53.2	24	§	§	§	19.6	18.1 - 21.1	91	25.7	24.2 - 27.2	115
g. Twelfth grade	33.2	29.8 - 36.7	24	§	§	§	20.5	19.0 - 22.1	92	23.0	21.7 - 24.5	116

\*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

17. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
83.8	80.9 - 86.3	25	93.5	91.7 - 95.0	31	68.4	66.6 - 70.2	92	75.8	74.5 - 77.1	148

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

18. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Goals, objectives, and expected outcomes for physical education	87.8	85.2 - 90.0	25	90.9	88.9 - 92.6	33	90.0	88.8 - 91.1	93	89.8	88.9 - 90.7	151
b. A chart describing the annual scope and sequence of instruction for physical education	67.2	63.7 - 70.6	25	81.8	79.2 - 84.1	33	41.7	39.8 - 43.6	93	53.9	52.5 - 55.4	151
c. Plans for how to assess student performance in physical education	78.7	75.5 - 81.6	24	78.8	76.1 - 81.3	33	66.5	64.7 - 68.3	93	70.9	69.5 - 72.3	150
d. A written physical education curriculum	79.0	75.8 - 81.9	25	87.9	85.7 - 89.8	33	62.2	60.4 - 64.1	91	70.3	68.9 - 71.6	149
e. Resources for fitness testing	91.6	89.3 - 93.5	25	97.0	95.7 - 97.9	33	82.7	81.3 - 84.1	93	87.1	86.0 - 88.0	151
f. Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	87.4	84.7 - 89.7	25	87.9	85.7 - 89.8	33	65.7	63.9 - 67.5	93	73.7	72.4 - 75.0	151

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

19. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
11.8	9.7 - 14.3	25	45.5	42.3 - 48.6	33	32.6	30.8 - 34.4	92	31.7	30.3 - 33.1	150

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

20. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
28.6	25.4 - 32.1	24	63.6	60.5 - 66.6	33	34.7	33.0 - 36.6	92	39.6	38.2 - 41.1	149

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

21. Percentage of schools that offer interscholastic sports to students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
92.0	89.8 - 93.8	25	93.9	92.2 - 95.3	33	90.2	89.0 - 91.2	93	91.2	90.3 - 92.0	151

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

22. Percentage of schools that offer opportunities for students to participate in physical activity before the school day through organized physical activities or access to facilities or equipment for physical activity.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
52.0	48.4 - 55.6	25	39.4	36.3 - 42.5	33	65.0	63.1 - 66.8	92	57.7	56.2 - 59.1	150

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

23. Percentage of schools that prohibit staff from excluding students from physical education or physical activity to punish them for bad behavior or failure to complete class work in another class.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
60.3	56.7 - 63.8	25	69.7	66.7 - 72.5	33	47.6	45.7 - 49.5	92	54.1	52.6 - 55.6	150

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

24. Percentage of schools that have a joint use agreement for shared use of school or community physical activity facilities.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
63.0	59.4 - 66.5	25	75.8	72.9 - 78.4	33	48.1	46.2 - 50.0	93	56.1	54.6 - 57.5	151

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

25. Percentage of schools that have adopted a policy prohibiting tobacco use.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	25	100.0	†	33	100.0	†	93	100.0	†	151

† Confidence intervals not applicable for 0 percent or 100 percent.  
 N = Unweighted number of observations

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

26. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	100.0	†	24	96.9	95.5 - 97.8	32	98.9	98.4 - 99.2	90	98.7	98.3 - 99.0	146
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	100.0	†	24	96.8	95.4 - 97.8	31	97.9	97.2 - 98.3	90	98.0	97.5 - 98.4	145
c. Cigars	95.9	94.2 - 97.1	24	93.5	91.7 - 95.0	31	96.8	96.0 - 97.4	90	96.0	95.4 - 96.5	145
d. Pipes	95.9	94.2 - 97.1	24	93.5	91.7 - 95.0	31	96.8	96.0 - 97.4	90	96.0	95.4 - 96.5	145

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

26. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	100.0	†	24	93.5	91.7 - 95.0	31	95.7	94.8 - 96.4	89	96.0	95.3 - 96.5	144
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	100.0	†	24	93.3	91.5 - 94.8	30	94.5	93.5 - 95.3	89	95.2	94.5 - 95.8	143
c. Cigars	95.9	94.2 - 97.1	24	90.0	87.8 - 91.8	30	94.5	93.6 - 95.3	88	93.9	93.1 - 94.6	142
d. Pipes	95.9	94.2 - 97.1	24	90.0	87.8 - 91.8	30	94.6	93.7 - 95.4	89	93.9	93.2 - 94.6	143

† Confidence intervals not applicable for 0 percent or 100 percent.  
 N = Unweighted number of observations

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

26. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	100.0	†	24	96.8	95.4 - 97.8	31	95.7	94.8 - 96.4	89	96.6	96.0 - 97.1	144
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	100.0	†	24	90.0	87.8 - 91.8	30	92.2	91.1 - 93.2	89	93.1	92.3 - 93.8	143
c. Cigars	95.9	94.2 - 97.1	24	90.0	87.8 - 91.8	30	94.5	93.6 - 95.3	88	93.9	93.1 - 94.6	142
d. Pipes	95.9	94.2 - 97.1	24	90.0	87.8 - 91.8	30	94.6	93.7 - 95.4	89	93.9	93.2 - 94.6	143

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

27. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	100.0	†	24	100.0	†	32	98.9	98.4 - 99.2	90	99.3	99.0 - 99.5	146
b. During non-school hours	100.0	†	24	90.6	88.6 - 92.3	32	97.8	97.2 - 98.3	90	96.7	96.2 - 97.2	146

† Confidence intervals not applicable for 0 percent or 100 percent.  
 N = Unweighted number of observations

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

27. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	100.0	†	24	96.9	95.5 - 97.8	32	93.4	92.3 - 94.3	89	95.2	94.5 - 95.8	145
b. During non-school hours	87.7	85.1 - 90.0	24	78.1	75.3 - 80.7	32	76.1	74.4 - 77.7	88	78.4	77.2 - 79.7	144

† Confidence intervals not applicable for 0 percent or 100 percent.  
 N = Unweighted number of observations

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

27. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	96.1	94.4 - 97.3	25	93.8	92.0 - 95.1	32	93.5	92.5 - 94.4	90	94.0	93.2 - 94.7	147
b. During non-school hours	87.7	85.1 - 90.0	24	78.1	75.3 - 80.7	32	77.3	75.6 - 78.9	88	79.2	77.9 - 80.4	144

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

28. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. In school buildings	100.0	†	24	100.0	†	32	100.0	†	90	100.0	†	146
b. Outside on school grounds, including parking lots and playing fields	100.0	†	24	96.9	95.5 - 97.8	32	98.9	98.4 - 99.2	90	98.7	98.3 - 99.0	146
c. On school buses or other vehicles used to transport students	100.0	†	24	96.9	95.5 - 97.8	32	100.0	†	90	99.4	99.1 - 99.6	146
d. At off-campus, school-sponsored events	100.0	†	24	93.8	92.0 - 95.1	32	93.2	92.2 - 94.2	90	94.5	93.7 - 95.1	146

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

28. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	100.0	†	24	96.9	95.5 - 97.8	32	100.0	†	89	99.4	99.1 - 99.6	145
b. Outside on school grounds, including parking lots and playing fields	95.9	94.2 - 97.1	24	90.6	88.6 - 92.3	32	97.8	97.2 - 98.3	89	96.0	95.4 - 96.6	145
c. On school buses or other vehicles used to transport students	100.0	†	24	93.8	92.0 - 95.1	32	98.9	98.4 - 99.2	88	98.0	97.6 - 98.4	144
d. At off-campus, school-sponsored events	91.8	89.6 - 93.6	24	90.6	88.6 - 92.3	32	83.1	81.6 - 84.5	89	86.1	85.0 - 87.1	145

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

28. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. In school buildings	100.0	†	24	96.9	95.5 - 97.8	32	100.0	†	89	99.4	99.1 - 99.6	145
b. Outside on school grounds, including parking lots and playing fields	95.9	94.2 - 97.1	24	87.1	84.7 - 89.1	31	96.6	95.9 - 97.3	89	94.6	93.9 - 95.3	144
c. On school buses or other vehicles used to transport students	100.0	†	24	90.6	88.6 - 92.3	32	100.0	†	88	98.1	97.6 - 98.5	144
d. At off-campus, school-sponsored events	70.9	67.4 - 74.2	24	75.0	72.1 - 77.7	32	71.7	70.0 - 73.4	89	72.3	70.9 - 73.6	145

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

28N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.\*

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
	95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N
Percent			Percent			Percent			Percent		
56.4	52.7 - 59.9	25	60.0	56.7 - 63.2	30	54.8	52.8 - 56.7	89	56.0	54.5 - 57.5	144

\*Responses to question 26 (a, b, c, and d), question 27 (a and b), and question 28 (a, b, c, and d) are all "yes."  
 N = Unweighted number of observations

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

29. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
96.1	94.4 - 97.3	25	78.8	76.1 - 81.3	33	85.5	84.0 - 86.8	91	85.9	84.8 - 86.9	149

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

30. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	28.0	24.9 - 31.4	25	39.4	36.3 - 42.5	33	21.5	20.0 - 23.1	93	26.1	24.9 - 27.5	151
b. Students	44.2	40.6 - 47.8	25	30.3	27.5 - 33.3	33	25.8	24.2 - 27.5	93	29.8	28.4 - 31.1	151

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

31. Percentage of schools that have arrangements with any organizations or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	48.1	44.5 - 51.7	25	57.6	54.4 - 60.7	33	32.1	30.4 - 33.9	93	39.8	38.4 - 41.3	151
b. Students	55.9	52.3 - 59.5	25	54.5	51.4 - 57.7	33	39.6	37.8 - 41.5	93	45.3	43.8 - 46.8	151

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

32. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Foods or beverages are not offered at school celebrations	8.3	6.4 - 10.6	25	3.0	2.1 - 4.3	33	5.4	4.6 - 6.3	93	5.4	4.8 - 6.1	151
b. Never	0.0	†	25	0.0	†	33	3.3	2.7 - 4.1	93	2.1	1.7 - 2.6	151
c. Rarely	12.2	10.0 - 14.8	25	15.2	13.0 - 17.6	33	23.0	21.4 - 24.6	93	19.6	18.5 - 20.9	151
d. Sometimes	51.6	48.0 - 55.2	25	57.6	54.4 - 60.7	33	44.9	43.0 - 46.8	93	48.5	47.0 - 50.0	151
e. Always or almost always	27.9	24.8 - 31.3	25	24.2	21.6 - 27.1	33	23.4	21.9 - 25.1	93	24.3	23.1 - 25.6	151

† Confidence intervals not applicable for 0 percent or 100 percent.  
 N = Unweighted number of observations

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

33. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
91.7	89.4 - 93.6	25	51.5	48.3 - 54.7	33	66.9	65.1 - 68.6	93	67.9	66.5 - 69.3	151

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

34. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Chocolate candy	25.0	21.9 - 28.3	24	15.2	13.0 - 17.6	33	24.9	23.3 - 26.6	93	23.0	21.7 - 24.2	150
b. Other kinds of candy	33.2	29.8 - 36.7	24	15.2	13.0 - 17.6	33	28.1	26.5 - 29.9	93	26.3	25.0 - 27.7	150
c. Salty snacks that are not low in fat (e.g., regular potato chips)	25.6	22.4 - 29.0	23	18.2	15.9 - 20.8	33	21.5	19.9 - 23.0	93	21.4	20.2 - 22.7	149
d. Low sodium or “no added salt” pretzels, crackers, or chips	65.9	62.2 - 69.3	24	36.4	33.4 - 39.5	33	30.0	28.3 - 31.8	93	37.0	35.6 - 38.5	150
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	20.5	17.6 - 23.6	24	12.1	10.2 - 14.3	33	20.6	19.1 - 22.2	93	18.9	17.7 - 20.1	150
f. Ice cream or frozen yogurt that is not low in fat	12.3	10.0 - 14.9	24	3.0	2.1 - 4.3	33	2.2	1.7 - 2.8	93	4.0	3.4 - 4.6	150
g. 2% or whole milk (plain or flavored)	25.7	22.5 - 29.1	23	9.1	7.4 - 11.1	33	9.6	8.5 - 10.8	93	12.0	11.0 - 13.0	149
h. Nonfat or 1% (low-fat) milk (plain)	42.8	39.1 - 46.6	23	12.1	10.2 - 14.3	33	13.9	12.6 - 15.2	93	18.0	16.8 - 19.1	149
i. Water ices or frozen slushes that do not contain juice	12.4	10.1 - 15.0	24	9.1	7.4 - 11.1	33	7.7	6.7 - 8.7	93	8.7	7.9 - 9.6	150
j. Soda pop or fruit drinks that are not 100% juice	34.8	31.3 - 38.5	23	12.1	10.2 - 14.3	33	37.7	35.9 - 39.5	93	32.1	30.7 - 33.5	149
k. Sports drinks (e.g., Gatorade)	78.1	74.8 - 81.1	23	33.3	30.4 - 36.4	33	58.1	56.2 - 59.9	93	56.1	54.6 - 57.6	149

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

34. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
l. Energy drinks (e.g., Red Bull, Monster)	4.1	2.9 - 5.8	24	3.0	2.1 - 4.3	33	3.3	2.6 - 4.0	92	3.3	2.9 - 3.9	149
m. Bottled water	83.2	80.2 - 85.8	24	46.9	43.7 - 50.1	32	62.5	60.7 - 64.3	93	62.8	61.3 - 64.2	149
n. 100% fruit or vegetable juice	60.0	56.2 - 63.7	23	42.4	39.3 - 45.6	33	41.9	40.0 - 43.7	93	44.8	43.3 - 46.2	149
o. Foods or beverages containing caffeine	43.4	39.7 - 47.2	23	9.1	7.4 - 11.1	33	30.4	28.7 - 32.2	93	28.1	26.7 - 29.4	149
p. Fruits (not fruit juice)	40.9	37.3 - 44.6	24	18.2	15.9 - 20.8	33	11.7	10.5 - 12.9	93	17.6	16.5 - 18.8	150
q. Non-fried vegetables (not vegetable juice)	32.7	29.4 - 36.3	24	9.1	7.4 - 11.1	33	4.2	3.6 - 5.1	93	9.8	8.9 - 10.7	150

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	7.9	6.1 - 10.0	25	12.1	10.2 - 14.3	33	7.7	6.7 - 8.7	93	8.6	7.8 - 9.5	151
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	51.6	48.0 - 55.2	25	51.5	48.3 - 54.7	33	31.7	30.0 - 33.5	93	39.0	37.5 - 40.4	151
c. Provided information to students or families on the nutrition and caloric content of foods available	59.4	55.7 - 62.9	25	60.6	57.5 - 63.7	33	37.4	35.6 - 39.2	93	45.6	44.2 - 47.1	151
d. Conducted taste tests to determine food preferences for nutritious items	27.5	24.4 - 30.9	25	24.2	21.6 - 27.1	33	13.7	12.4 - 15.0	93	18.1	17.0 - 19.2	151
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	7.9	6.1 - 10.0	25	12.1	10.2 - 14.3	33	21.3	19.8 - 22.9	93	17.3	16.2 - 18.4	151
f. Served locally or regionally grown foods in the cafeteria or classrooms	56.4	52.7 - 59.9	25	54.5	51.4 - 57.7	33	66.5	64.6 - 68.2	93	62.4	61.0 - 63.8	151
g. Planted a school food or vegetable garden	12.2	10.0 - 14.8	25	3.0	2.1 - 4.3	33	20.5	19.0 - 22.0	92	15.6	14.5 - 16.7	150
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	63.7	60.1 - 67.1	25	69.7	66.7 - 72.5	33	63.0	61.1 - 64.8	93	64.4	63.0 - 65.8	151

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
i. Used attractive displays for fruits and vegetables in the cafeteria	63.8	60.2 - 67.2	25	69.7	66.7 - 72.5	33	53.6	51.7 - 55.5	93	58.5	57.0 - 60.0	151
j. Offered a self-serve salad bar to students	87.8	85.2 - 90.0	25	93.9	92.2 - 95.3	33	89.1	87.9 - 90.2	93	89.9	88.9 - 90.7	151
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	15.8	13.4 - 18.7	25	21.2	18.7 - 23.9	33	15.8	14.5 - 17.2	93	16.9	15.8 - 18.0	151
l. Encouraged students to drink plain water	67.3	63.8 - 70.7	25	87.5	85.2 - 89.5	32	81.1	79.5 - 82.5	91	80.0	78.8 - 81.2	148
m. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	27.6	24.5 - 31.0	25	33.3	30.4 - 36.4	33	19.0	17.6 - 20.5	93	23.3	22.1 - 24.5	151
n. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	35.4	32.0 - 38.9	25	33.3	30.4 - 36.4	33	21.1	19.6 - 22.7	93	25.9	24.6 - 27.2	151

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

36. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In the school building	67.6	64.1 - 71.0	25	84.8	82.4 - 87.0	33	43.5	41.6 - 45.4	92	55.8	54.4 - 57.3	150
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	63.8	60.2 - 67.2	25	75.8	72.9 - 78.4	33	43.5	41.6 - 45.4	92	53.4	51.9 - 54.9	150
c. On school buses or other vehicles used to transport students	83.5	80.5 - 86.0	25	81.8	79.2 - 84.1	33	51.0	49.1 - 52.9	92	62.6	61.1 - 64.0	150
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	52.0	48.4 - 55.6	25	75.8	72.9 - 78.4	33	44.5	42.6 - 46.4	92	52.0	50.5 - 53.5	150
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	71.7	68.3 - 74.8	25	81.8	79.2 - 84.1	33	42.6	40.7 - 44.5	91	55.4	53.9 - 56.9	149

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

37. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Yes, in all locations	91.3	88.9 - 93.2	25	83.9	81.3 - 86.1	31	72.3	70.5 - 74.0	90	77.8	76.5 - 79.0	146
b. Yes, in certain locations	4.3	3.0 - 6.2	25	16.1	13.9 - 18.7	31	24.5	22.8 - 26.2	90	19.4	18.2 - 20.6	146
c. No	4.3	3.0 - 6.2	25	0.0	†	31	3.3	2.6 - 4.0	90	2.8	2.3 - 3.4	146

† Confidence intervals not applicable for 0 percent or 100 percent.  
 N = Unweighted number of observations

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

37N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.7	93.8 - 97.0	25	100.0	†	31	96.7	96.0 - 97.4	90	97.2	96.6 - 97.7	146

† Confidence intervals not applicable for 0 percent or 100 percent.  
 N = Unweighted number of observations

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

38. Percentage of schools that offer a free source of drinking water in the following locations.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cafeteria during breakfast	95.9	94.2 - 97.1	24	100.0	†	30	95.5	94.7 - 96.3	89	96.5	95.8 - 97.0	143
b. Cafeteria during lunch	96.1	94.4 - 97.3	25	100.0	†	33	96.7	95.9 - 97.3	90	97.2	96.7 - 97.7	148
c. Gymnasium or other indoor physical activity facilities	92.1	90.0 - 93.9	25	100.0	†	33	98.9	98.5 - 99.3	92	98.0	97.6 - 98.4	150
d. Outdoor physical activity facilities and sports fields	55.8	52.2 - 59.4	25	72.7	69.8 - 75.5	33	71.5	69.6 - 73.2	84	69.0	67.6 - 70.4	142
e. Hallways throughout the school	100.0	†	25	97.0	95.7 - 97.9	33	100.0	†	92	99.4	99.1 - 99.6	150

\*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

39. Percentage of schools that have a full-time registered nurse who provides health services to students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
7.9	6.1 - 10.0	25	6.3	4.9 - 8.0	32	3.2	2.6 - 4.0	92	4.6	4.0 - 5.3	149

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

40. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	3.9	2.7 - 5.6	25	0.0	†	33	1.0	0.7 - 1.5	92	1.3	1.0 - 1.7	150
b. HIV treatment	0.0	†	25	3.0	2.1 - 4.3	33	0.0	†	92	0.6	0.4 - 0.9	150
c. STD testing	3.9	2.7 - 5.6	25	3.0	2.1 - 4.3	33	0.0	†	92	1.3	1.0 - 1.6	150
d. STD treatment	0.0	†	25	6.1	4.7 - 7.8	33	0.0	†	92	1.2	0.9 - 1.6	150
e. Pregnancy testing	3.9	2.7 - 5.6	25	3.0	2.1 - 4.3	33	1.0	0.7 - 1.5	92	1.9	1.6 - 2.4	150
f. Provision of condoms	0.0	†	25	0.0	†	33	0.0	†	92	0.0	†	150
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	0.0	†	25	0.0	†	33	0.0	†	92	0.0	†	150
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	0.0	†	25	0.0	†	33	0.0	†	92	0.0	†	150
i. Prenatal care	7.9	6.1 - 10.0	25	0.0	†	33	0.0	†	92	1.3	1.0 - 1.7	150
j. Human papillomavirus (HPV) vaccine administration	4.0	2.8 - 5.8	25	3.0	2.1 - 4.3	33	4.2	3.5 - 5.0	92	3.9	3.4 - 4.5	150

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

41. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	66.9	63.4 - 70.3	25	33.3	30.4 - 36.4	33	40.1	38.3 - 42.0	92	43.2	41.7 - 44.7	150
b. HIV treatment	63.0	59.4 - 66.5	25	33.3	30.4 - 36.4	33	37.9	36.1 - 39.8	92	41.2	39.7 - 42.6	150
c. STD testing	78.7	75.5 - 81.6	25	36.4	33.4 - 39.5	33	40.1	38.3 - 42.0	92	45.8	44.3 - 47.3	150
d. STD treatment	70.9	67.4 - 74.1	25	36.4	33.4 - 39.5	33	39.0	37.1 - 40.8	92	43.7	42.3 - 45.2	150
e. Pregnancy testing	78.7	75.5 - 81.6	25	39.4	36.3 - 42.5	33	40.6	38.7 - 42.5	91	46.7	45.2 - 48.2	149
f. Provision of condoms	55.1	51.5 - 58.7	25	15.2	13.0 - 17.6	33	27.4	25.7 - 29.1	91	29.6	28.2 - 30.9	149
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	51.2	47.6 - 54.8	25	15.2	13.0 - 17.6	33	26.2	24.6 - 28.0	91	28.2	26.8 - 29.5	149
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	55.1	51.5 - 58.7	25	15.2	13.0 - 17.6	33	27.4	25.7 - 29.1	91	29.6	28.2 - 30.9	149
i. Prenatal care	78.7	75.5 - 81.6	25	30.3	27.5 - 33.3	33	35.9	34.1 - 37.7	92	41.9	40.4 - 43.4	150
j. Human papillomavirus (HPV) vaccine administration	63.0	59.4 - 66.5	25	27.3	24.5 - 30.2	33	39.1	37.2 - 40.9	92	40.7	39.2 - 42.1	150

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

42. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
	95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N
Percent			Percent			Percent			Percent		
40.9	37.3 - 44.6	24	50.0	46.8 - 53.2	32	48.3	46.4 - 50.2	91	47.4	45.9 - 48.9	147

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

43. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Asthma	87.8	85.2 - 90.0	25	93.9	92.2 - 95.3	33	88.0	86.7 - 89.2	92	89.1	88.2 - 90.0	150
b. Food allergies	91.7	89.4 - 93.6	25	97.0	95.7 - 97.9	33	90.1	88.9 - 91.1	92	91.7	90.9 - 92.5	150
c. Diabetes	87.8	85.2 - 90.0	25	93.9	92.2 - 95.3	33	90.0	88.8 - 91.1	92	90.4	89.5 - 91.3	150
d. Epilepsy or seizure disorder	87.8	85.2 - 90.0	25	90.9	88.9 - 92.6	33	86.8	85.5 - 88.1	92	87.8	86.8 - 88.8	150
e. Obesity	11.8	9.7 - 14.3	25	24.2	21.6 - 27.1	33	14.9	13.6 - 16.3	92	16.2	15.2 - 17.4	150
f. Hypertension/high blood pressure	63.4	59.8 - 66.8	25	46.9	43.7 - 50.1	32	35.8	34.0 - 37.6	92	42.6	41.1 - 44.1	149

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

44. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	65.5	61.8 - 68.9	24	45.5	42.3 - 48.6	33	37.9	36.1 - 39.8	92	43.9	42.4 - 45.4	149
b. Food allergies	65.5	61.8 - 68.9	24	48.5	45.3 - 51.7	33	36.9	35.1 - 38.7	92	43.8	42.3 - 45.3	149
c. Diabetes	65.5	61.8 - 68.9	24	45.5	42.3 - 48.6	33	37.9	36.1 - 39.8	92	43.9	42.4 - 45.4	149
d. Epilepsy or seizure disorder	65.5	61.8 - 68.9	24	45.5	42.3 - 48.6	33	37.9	36.1 - 39.8	92	43.9	42.4 - 45.4	149
e. Obesity	45.0	41.3 - 48.7	24	33.3	30.4 - 36.4	33	22.5	21.0 - 24.1	92	28.3	27.0 - 29.7	149
f. Hypertension/high blood pressure	61.4	57.7 - 64.9	24	36.4	33.4 - 39.5	33	26.9	25.3 - 28.7	92	34.4	33.0 - 35.8	149

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

45. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Provided parents and families with information about how to communicate with their child about sex	8.0	6.2 - 10.2	25	21.2	18.7 - 23.9	33	10.4	9.3 - 11.5	93	12.1	11.2 - 13.1	151
b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	47.7	44.1 - 51.3	25	60.6	57.5 - 63.7	33	48.7	46.8 - 50.6	92	50.9	49.4 - 52.4	150
c. Involved parents as school volunteers in the delivery of health education activities and services	7.9	6.1 - 10.0	25	12.1	10.2 - 14.3	33	17.8	16.4 - 19.3	93	15.0	14.0 - 16.1	151
d. Linked parents and families to health services and programs in the community	59.5	55.8 - 63.0	25	63.6	60.5 - 66.6	33	42.6	40.7 - 44.5	93	49.6	48.1 - 51.1	151

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

46. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
71.3	67.8 - 74.5	25	60.6	57.5 - 63.7	33	69.8	68.1 - 71.5	93	68.2	66.8 - 69.6	151

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

47. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
32.7	29.4 - 36.3	24	36.4	33.4 - 39.5	33	9.5	8.5 - 10.7	93	18.6	17.5 - 19.8	150

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

48. Percentage of schools that provide service-learning opportunities for students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
79.9	76.9 - 82.7	25	60.6	57.5 - 63.7	33	41.6	39.8 - 43.5	93	51.8	50.3 - 53.2	151

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

49. Percentage of schools that provide peer tutoring opportunities for students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
87.8	85.2 - 90.0	25	66.7	63.6 - 69.6	33	73.2	71.5 - 74.9	93	74.3	73.0 - 75.6	151

**NORTH DAKOTA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

50. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
27.6	24.5 - 31.0	25	42.4	39.3 - 45.6	33	25.3	23.7 - 27.0	93	29.1	27.8 - 30.5	151