

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Physical activity	43.7	39.6 - 47.9	23	43.3	39.6 - 47.2	28	39.2	37.2 - 41.3	92	40.7	39.1 - 42.3	143
b. Nutrition	47.9	43.8 - 52.1	23	33.0	29.4 - 36.7	28	42.6	40.6 - 44.7	92	41.6	39.9 - 43.2	143
c. Tobacco-use prevention	43.7	39.6 - 47.9	23	31.8	28.3 - 35.4	28	42.2	40.2 - 44.3	93	40.5	38.9 - 42.1	144
d. Asthma	13.4	10.8 - 16.6	23	18.5	15.6 - 21.7	28	21.0	19.3 - 22.7	92	19.4	18.1 - 20.7	143
e. Injury and violence prevention	43.7	39.6 - 47.9	23	21.9	18.9 - 25.3	28	28.3	26.5 - 30.2	92	29.4	27.9 - 31.0	143
f. HIV, STD, and teen pregnancy prevention	34.5	30.6 - 38.5	23	28.8	25.5 - 32.4	28	28.4	26.5 - 30.3	92	29.4	27.9 - 30.9	143

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Health education	36.0	32.0 - 40.2	22	23.8	20.5 - 27.4	27	30.0	28.1 - 32.0	88	29.7	28.2 - 31.3	137
b. Physical education	36.0	32.0 - 40.2	22	27.4	23.9 - 31.1	27	33.4	31.4 - 35.4	88	32.6	31.0 - 34.2	137
c. Physical activity	36.0	32.0 - 40.2	22	27.4	23.9 - 31.1	27	30.1	28.2 - 32.1	87	30.5	28.9 - 32.1	136
d. School meal programs	36.0	32.0 - 40.2	22	27.4	23.9 - 31.1	27	36.4	34.3 - 38.5	86	34.6	32.9 - 36.2	135
e. Foods and beverages available at school outside the school meal programs	36.0	32.0 - 40.2	22	27.4	23.9 - 31.1	27	32.1	30.2 - 34.1	88	31.8	30.2 - 33.4	137
f. Health services	30.8	27.0 - 34.8	22	18.5	15.6 - 21.7	27	28.8	26.9 - 30.8	87	27.1	25.6 - 28.7	136
g. Counseling, psychological, and social services	41.8	37.5 - 46.1	21	33.4	29.8 - 37.2	27	37.7	35.6 - 39.7	88	37.4	35.8 - 39.1	136
h. Physical environment	42.6	38.4 - 47.0	21	39.8	36.0 - 43.7	27	40.3	38.2 - 42.4	87	40.5	38.8 - 42.2	135
i. Social and emotional climate	53.6	49.3 - 57.8	22	60.1	56.3 - 63.9	27	50.7	48.6 - 52.8	87	53.0	51.2 - 54.7	136
j. Family engagement	35.2	31.3 - 39.3	22	40.6	36.8 - 44.4	27	47.1	45.0 - 49.3	87	44.0	42.3 - 45.7	136
k. Community involvement	49.2	44.9 - 53.4	22	29.9	26.4 - 33.6	27	50.8	48.6 - 52.9	87	46.5	44.8 - 48.2	136
l. Employee wellness	36.0	32.0 - 40.2	22	20.2	17.1 - 23.6	28	25.8	24.0 - 27.7	90	26.2	24.8 - 27.8	140

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.\*

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
86.7	83.5 - 89.3	23	86.9	83.7 - 89.5	25	54.0	51.8 - 56.1	85	65.2	63.6 - 66.9	133

\*Among schools that engaged in an improvement planning process during the past year.  
 N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
66.3	62.4 - 70.1	24	75.1	71.7 - 78.3	28	77.3	75.5 - 79.0	93	75.2	73.7 - 76.6	145

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
	95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N
Percent			Percent			Percent			Percent		
45.0	41.0 - 49.1	24	49.0	45.2 - 52.8	28	42.9	40.9 - 45.0	93	44.4	42.7 - 46.0	145

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

6. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Identified student health needs based on a review of relevant data	53.6	47.6 - 59.6	11	86.9	83.0 - 90.1	13	53.1	49.9 - 56.2	40	60.2	57.7 - 62.6	64
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	35.8	30.2 - 41.7	11	86.9	83.0 - 90.1	13	67.2	64.2 - 70.1	40	66.3	63.9 - 68.6	64
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	26.8	21.9 - 32.4	11	41.1	35.6 - 46.8	13	44.9	41.7 - 48.0	40	41.2	38.8 - 43.7	64
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	80.5	75.1 - 84.9	11	79.9	75.3 - 83.8	13	85.0	82.6 - 87.1	40	83.2	81.3 - 85.0	64
e. Reviewed health-related curricula or instructional materials	53.6	47.6 - 59.6	11	79.9	75.3 - 83.8	13	64.9	61.8 - 67.8	40	66.2	63.8 - 68.5	64
f. Assessed the availability of physical activity opportunities for students	44.7	38.8 - 50.7	11	69.4	63.9 - 74.3	13	67.0	64.0 - 70.0	39	63.9	61.5 - 66.3	63
g. Developed a written plan for implementing a Comprehensive School Physical Activity Program (a multi-component approach that provides opportunities for students to be physically active before, during, and after school)	8.9	6.1 - 13.0	11	23.7	19.2 - 28.8	12	17.4	15.1 - 19.9	40	17.2	15.4 - 19.2	63

\*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.  
N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

7. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
54.9	50.5 - 59.2	21	64.5	60.7 - 68.1	27	22.5	20.8 - 24.2	93	34.7	33.1 - 36.3	141

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

8. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Lessons in class	82.5	79.1 - 85.4	23	86.0	83.2 - 88.4	26	81.6	79.9 - 83.1	93	82.5	81.2 - 83.7	142
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	63.6	59.5 - 67.6	23	72.0	68.4 - 75.3	26	40.1	38.1 - 42.2	92	49.4	47.7 - 51.1	141

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

9. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
48.3	44.2 - 52.3	24	17.3	14.7 - 20.3	28	5.5	4.7 - 6.6	93	14.4	13.3 - 15.6	145

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

10. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	59.4	55.3 - 63.5	23	55.5	51.6 - 59.3	28	43.0	41.0 - 45.1	94	47.8	46.2 - 49.5	145
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	100.0	†	23	83.3	80.0 - 86.2	28	82.8	81.2 - 84.3	93	85.5	84.2 - 86.6	144
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	71.8	67.8 - 75.4	23	47.3	43.5 - 51.2	28	48.0	45.9 - 50.1	94	51.4	49.8 - 53.1	145
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	55.3	51.1 - 59.4	23	39.2	35.6 - 43.0	28	32.0	30.1 - 33.9	94	36.8	35.2 - 38.4	145
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	55.3	51.1 - 59.4	23	42.7	39.0 - 46.5	28	30.1	28.3 - 32.1	94	36.2	34.7 - 37.8	145

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

11. Percentage of schools in which staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
	95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N
Percent			Percent			Percent			Percent		
81.7	78.2 - 84.8	23	78.6	75.3 - 81.6	28	78.2	76.5 - 79.9	93	78.8	77.4 - 80.2	144

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

12. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	23	100.0	†	28	90.6	89.3 - 91.7	94	93.7	92.9 - 94.5	145

† Confidence intervals not applicable for 0 percent or 100 percent.  
 N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

13. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	23	100.0	†	28	88.3	86.9 - 89.6	94	92.3	91.3 - 93.1	145

† Confidence intervals not applicable for 0 percent or 100 percent.  
 N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

14. Percentage of schools that taught a required physical education course in each of the following grades.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Sixth grade	§	§	§	100.0	†	28	100.0	†	60	100.0	†	88
b. Seventh grade	§	§	§	100.0	†	27	100.0	†	94	100.0	†	121
c. Eighth grade	§	§	§	100.0	†	27	100.0	†	94	100.0	†	121
d. Ninth grade	95.6	93.6 - 97.0	22	-	-	0	94.8	93.8 - 95.6	94	94.9	94.0 - 95.7	116
e. Tenth grade	80.9	77.2 - 84.1	22	§	§	§	43.3	41.3 - 45.4	94	50.0	48.2 - 51.9	116
f. Eleventh grade	48.6	44.4 - 52.9	22	§	§	§	15.9	14.5 - 17.5	94	21.7	20.3 - 23.3	116
g. Twelfth grade	41.7	37.5 - 46.1	21	§	§	§	17.0	15.5 - 18.6	94	21.2	19.7 - 22.8	115

\*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

15. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.0	92.7 - 96.7	22	96.5	94.9 - 97.7	28	78.9	77.2 - 80.6	93	84.6	83.4 - 85.8	143

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

16. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Goals, objectives, and expected outcomes for physical education	100.0	†	23	100.0	†	28	90.2	88.9 - 91.4	94	93.5	92.6 - 94.3	145
b. A chart describing the annual scope and sequence of instruction for physical education	77.5	73.8 - 80.8	23	87.7	85.2 - 89.9	28	48.0	45.9 - 50.1	94	59.8	58.2 - 61.5	145
c. Plans for how to assess student performance in physical education	95.0	92.7 - 96.6	23	96.5	94.9 - 97.7	28	60.0	57.9 - 62.0	94	72.0	70.5 - 73.5	145
d. A written physical education curriculum	85.9	82.6 - 88.6	23	94.1	92.3 - 95.5	28	63.4	61.4 - 65.4	92	72.6	71.1 - 74.1	143
e. Resources for fitness testing	95.8	93.8 - 97.2	23	96.5	94.9 - 97.7	28	85.2	83.7 - 86.6	94	88.9	87.8 - 89.9	145
f. Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	82.5	79.1 - 85.4	23	86.7	84.0 - 89.0	28	70.5	68.5 - 72.3	94	75.3	73.8 - 76.7	145

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

17. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
20.1	17.1 - 23.5	24	79.8	76.6 - 82.6	28	38.3	36.3 - 40.3	94	43.2	41.6 - 44.9	146

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

18. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
41.0	37.0 - 45.0	24	79.1	75.8 - 82.0	28	37.1	35.1 - 39.1	95	45.4	43.8 - 47.1	147

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

19. Percentage of schools that offer interscholastic sports to students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
	95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N
Percent			Percent			Percent			Percent		
100.0	†	24	82.8	79.4 - 85.7	27	94.7	93.7 - 95.5	95	93.4	92.4 - 94.2	146

† Confidence intervals not applicable for 0 percent or 100 percent.  
 N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

20. Percentage of schools that offer opportunities for students to participate in physical activity before the school day through organized physical activities or access to facilities or equipment for physical activity.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
59.0	55.0 - 63.0	24	51.9	48.1 - 55.8	28	67.3	65.3 - 69.2	93	63.1	61.5 - 64.7	145

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

21. Percentage of schools that have a joint use agreement for shared use of school or community physical activity facilities.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
86.4	83.3 - 89.1	24	62.8	59.1 - 66.4	28	49.2	47.1 - 51.2	95	57.4	55.8 - 59.1	147

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

22. Percentage of schools that have adopted a policy prohibiting tobacco use.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
100.0	†	24	100.0	†	28	97.8	97.1 - 98.4	95	98.6	98.1 - 98.9	147

† Confidence intervals not applicable for 0 percent or 100 percent.  
 N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

23. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	100.0	†	24	100.0	†	27	96.6	95.8 - 97.3	91	97.8	97.2 - 98.2	142
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	100.0	†	24	100.0	†	27	96.6	95.8 - 97.3	91	97.8	97.2 - 98.2	142
c. Cigars	100.0	†	23	96.4	94.7 - 97.6	27	94.7	93.7 - 95.5	91	95.8	95.1 - 96.4	141
d. Pipes	100.0	†	23	96.4	94.7 - 97.6	27	94.7	93.7 - 95.5	91	95.8	95.1 - 96.4	141
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	95.8	93.8 - 97.2	23	92.8	90.6 - 94.6	27	90.0	88.7 - 91.2	91	91.5	90.5 - 92.3	141

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

23. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	100.0	†	24	100.0	†	27	96.6	95.7 - 97.3	89	97.8	97.2 - 98.2	140
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	100.0	†	24	100.0	†	27	96.6	95.7 - 97.3	89	97.8	97.2 - 98.2	140
c. Cigars	100.0	†	23	96.4	94.7 - 97.6	27	94.6	93.5 - 95.4	89	95.8	95.0 - 96.4	139
d. Pipes	100.0	†	23	96.4	94.7 - 97.6	27	94.6	93.5 - 95.4	89	95.8	95.0 - 96.4	139
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	95.8	93.8 - 97.2	23	92.8	90.6 - 94.6	27	89.8	88.5 - 91.0	89	91.3	90.3 - 92.2	139

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

23. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	100.0	†	24	96.4	94.7 - 97.6	27	96.5	95.7 - 97.2	88	97.1	96.4 - 97.6	139
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	100.0	†	24	96.4	94.7 - 97.6	27	95.4	94.4 - 96.2	89	96.3	95.6 - 96.9	140
c. Cigars	100.0	†	23	96.4	94.7 - 97.6	27	94.6	93.5 - 95.4	89	95.8	95.0 - 96.4	139
d. Pipes	100.0	†	23	96.4	94.7 - 97.6	27	94.6	93.5 - 95.4	89	95.8	95.0 - 96.4	139
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	95.8	93.8 - 97.2	23	92.8	90.6 - 94.6	27	89.8	88.5 - 91.0	89	91.3	90.3 - 92.2	139

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

24. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	100.0	†	24	100.0	†	27	96.8	95.9 - 97.4	91	97.9	97.3 - 98.3	142
b. During non-school hours	96.0	94.1 - 97.3	24	91.1	88.3 - 93.2	27	93.4	92.3 - 94.4	91	93.4	92.5 - 94.2	142

† Confidence intervals not applicable for 0 percent or 100 percent.  
 N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

24. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	100.0	†	24	100.0	†	27	93.3	92.1 - 94.2	89	95.6	94.9 - 96.3	140
b. During non-school hours	69.9	66.0 - 73.5	24	88.0	85.1 - 90.4	27	73.8	71.9 - 75.6	89	75.8	74.3 - 77.3	140

† Confidence intervals not applicable for 0 percent or 100 percent.  
 N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

24. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	100.0	†	24	96.4	94.7 - 97.6	27	93.2	92.0 - 94.2	89	94.9	94.1 - 95.6	140
b. During non-school hours	69.9	66.0 - 73.5	24	91.1	88.3 - 93.2	27	74.9	73.0 - 76.7	89	77.1	75.7 - 78.5	140

† Confidence intervals not applicable for 0 percent or 100 percent.  
 N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

25. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	100.0	†	24	100.0	†	27	96.8	95.9 - 97.4	91	97.9	97.3 - 98.3	142
b. Outside on school grounds, including parking lots and playing fields	100.0	†	24	100.0	†	27	96.8	95.9 - 97.4	91	97.9	97.3 - 98.3	142
c. On school buses or other vehicles used to transport students	100.0	†	24	100.0	†	27	96.8	95.9 - 97.4	91	97.9	97.3 - 98.3	142
d. At off-campus, school-sponsored events	100.0	†	24	100.0	†	27	96.8	95.9 - 97.4	91	97.9	97.3 - 98.3	142

† Confidence intervals not applicable for 0 percent or 100 percent.  
 N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

25. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	100.0	†	24	100.0	†	27	95.6	94.7 - 96.4	91	97.1	96.5 - 97.6	142
b. Outside on school grounds, including parking lots and playing fields	100.0	†	24	100.0	†	27	93.5	92.4 - 94.5	91	95.8	95.0 - 96.4	142
c. On school buses or other vehicles used to transport students	100.0	†	24	96.4	94.7 - 97.6	27	95.5	94.5 - 96.3	89	96.4	95.7 - 97.0	140
d. At off-campus, school-sponsored events	91.2	88.5 - 93.3	24	84.5	81.3 - 87.1	27	83.4	81.8 - 84.9	90	84.9	83.6 - 86.1	141

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

25. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	100.0	†	24	96.4	94.7 - 97.6	27	95.6	94.6 - 96.3	90	96.4	95.7 - 97.0	141
b. Outside on school grounds, including parking lots and playing fields	100.0	†	24	92.8	90.6 - 94.6	27	92.3	91.2 - 93.4	90	93.7	92.8 - 94.4	141
c. On school buses or other vehicles used to transport students	100.0	†	24	96.3	94.5 - 97.5	26	95.5	94.5 - 96.3	88	96.4	95.7 - 96.9	138
d. At off-campus, school-sponsored events	79.1	75.6 - 82.3	24	73.4	69.8 - 76.8	26	64.4	62.3 - 66.4	90	68.4	66.8 - 70.0	140

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

25N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.\*

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
	95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N
Percent			Percent			Percent			Percent		
61.8	57.8 - 65.7	24	64.8	60.9 - 68.5	26	47.6	45.5 - 49.8	88	53.1	51.4 - 54.8	138

\*Responses to question 23 (a, b, c, and d), question 24 (a and b), and question 25 (a, b, c, and d) are all "yes."  
 N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

26. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
79.4	75.9 - 82.5	24	87.9	85.0 - 90.3	28	90.5	89.2 - 91.6	93	88.3	87.1 - 89.3	145

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

27. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	12.8	10.3 - 15.8	24	38.7	35.1 - 42.5	28	27.2	25.4 - 29.0	95	27.1	25.6 - 28.6	147
b. Students	29.6	26.0 - 33.5	24	31.3	27.9 - 34.9	28	26.3	24.6 - 28.2	95	27.8	26.3 - 29.3	147

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

28. Percentage of schools that have arrangements with any organization or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Faculty and staff	33.4	29.7 - 37.4	24	46.4	42.6 - 50.2	28	35.3	33.4 - 37.3	95	37.1	35.5 - 38.7	147
b. Students	41.5	37.5 - 45.5	24	32.0	28.7 - 35.6	28	34.9	33.0 - 36.9	94	35.4	33.8 - 37.0	146

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

28N. Percentage of schools that provide tobacco-use cessation services to faculty, staff, and students through direct service at school or arrangements with providers not on school property.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
37.4	33.6 - 41.5	24	37.7	34.1 - 41.4	28	39.7	37.7 - 41.7	95	39.0	37.4 - 40.6	147

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

29. Percentage of schools that never, rarely, sometimes, or almost always or always offer fruits or non-fried vegetables at celebrations when foods and beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Foods or beverages are not offered at school celebrations	8.0	6.1 - 10.5	24	0.0	†	28	3.3	2.6 - 4.1	95	3.4	2.9 - 4.1	147
b. Never	0.0	†	24	3.5	2.3 - 5.1	28	0.9	0.6 - 1.4	95	1.3	1.0 - 1.7	147
c. Rarely	8.8	6.7 - 11.5	24	13.3	11.0 - 16.0	28	18.1	16.6 - 19.7	95	15.8	14.6 - 17.0	147
d. Sometimes	59.0	55.0 - 63.0	24	58.9	55.1 - 62.6	28	56.8	54.7 - 58.8	95	57.5	55.9 - 59.1	147
e. Always or almost always	24.1	20.9 - 27.7	24	24.4	21.2 - 27.8	28	20.9	19.3 - 22.6	95	22.0	20.7 - 23.4	147

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

29N. Percentage of schools that offer fruits or non-fried vegetables in vending machines or school stores, and almost always or always at celebrations when foods and beverages are offered.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
8.0	6.1 - 10.5	24	0.0	†	28	5.3	4.5 - 6.3	94	4.7	4.1 - 5.5	146

† Confidence intervals not applicable for 0 percent or 100 percent.  
 N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

30. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
82.7	79.3 - 85.6	24	71.0	67.4 - 74.4	28	62.3	60.3 - 64.3	95	67.1	65.5 - 68.6	147

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Chocolate candy	8.8	6.7 - 11.5	24	12.1	9.7 - 15.0	28	9.6	8.5 - 10.9	94	10.0	9.0 - 11.0	146
b. Other kinds of candy	20.9	17.7 - 24.4	24	12.1	9.7 - 15.0	28	11.8	10.5 - 13.2	94	13.3	12.2 - 14.4	146
c. Salty snacks that are not low in fat (e.g., regular potato chips)	20.9	17.7 - 24.4	24	10.4	8.3 - 12.9	28	10.7	9.5 - 12.0	94	12.2	11.2 - 13.3	146
d. Low sodium or "no added salt" pretzels, crackers, or chips	50.5	46.4 - 54.6	24	49.6	45.8 - 53.4	28	27.7	25.9 - 29.6	94	35.3	33.7 - 36.9	146
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	16.1	13.4 - 19.3	24	0.0	†	27	9.6	8.5 - 10.9	94	8.9	8.0 - 9.9	145
f. Ice cream or frozen yogurt that is not low in fat	8.0	6.1 - 10.5	24	0.0	†	28	1.1	0.8 - 1.7	94	2.0	1.6 - 2.5	146
g. 2% or whole milk (plain or flavored)	32.2	28.5 - 36.1	24	3.5	2.3 - 5.1	28	5.2	4.4 - 6.2	94	9.1	8.2 - 10.0	146
h. Nonfat or 1% (low-fat) milk (plain)	41.0	37.0 - 45.0	24	20.8	17.9 - 24.0	28	12.6	11.3 - 14.0	94	18.5	17.3 - 19.8	146
i. Water ices or frozen slushes that do not contain juice	8.4	6.4 - 10.9	23	10.4	8.3 - 12.9	28	5.6	4.7 - 6.6	94	6.9	6.1 - 7.8	145
j. Soda pop or fruit drinks that are not 100% juice	29.6	26.0 - 33.5	24	13.8	11.1 - 17.0	28	21.6	19.9 - 23.3	94	21.4	20.0 - 22.8	146
k. Sports drinks (e.g., Gatorade)	66.6	62.6 - 70.3	24	19.6	16.6 - 23.0	28	50.4	48.3 - 52.4	94	47.2	45.5 - 48.8	146

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
l. Energy drinks (e.g., Red Bull, Monster)	0.0	†	24	0.0	†	28	2.2	1.7 - 2.9	94	1.4	1.1 - 1.9	146
m. Bottled water	82.7	79.3 - 85.6	24	62.9	59.1 - 66.6	28	59.9	57.9 - 61.9	94	64.0	62.4 - 65.6	146
n. 100% fruit or vegetable juice	70.6	66.7 - 74.2	24	51.3	47.5 - 55.1	28	38.8	36.8 - 40.8	94	46.1	44.4 - 47.7	146
o. Foods or beverages containing caffeine	41.7	37.7 - 45.8	24	8.6	6.5 - 11.3	28	18.4	16.9 - 20.1	94	20.2	18.9 - 21.6	146
p. Fruits (not fruit juice)	36.9	33.1 - 40.9	24	10.4	8.3 - 12.9	28	12.8	11.5 - 14.3	94	16.1	14.9 - 17.3	146
q. Non-fried vegetables (not vegetable juice)	20.1	17.1 - 23.5	24	6.9	5.3 - 9.1	28	6.4	5.4 - 7.5	94	8.6	7.7 - 9.6	146

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	4.0	2.7 - 5.9	24	8.6	6.5 - 11.3	28	10.6	9.4 - 12.0	95	9.2	8.3 - 10.3	147
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	49.8	45.7 - 53.8	24	42.1	38.3 - 46.0	28	38.6	36.6 - 40.6	95	41.0	39.4 - 42.6	147
c. Provided information to students or families on the nutrition and caloric content of foods available	36.2	32.4 - 40.2	24	58.3	54.5 - 62.1	28	38.6	36.6 - 40.6	95	41.8	40.2 - 43.5	147
d. Conducted taste tests to determine food preferences for nutritious items	45.0	41.0 - 49.1	24	30.6	27.3 - 34.2	28	18.6	17.0 - 20.2	95	24.9	23.5 - 26.3	147
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	12.6	10.2 - 15.6	23	6.9	5.3 - 9.1	28	17.2	15.7 - 18.8	94	14.6	13.4 - 15.8	145
f. Served locally or regionally grown foods in the cafeteria or classrooms	51.0	46.9 - 55.1	24	43.9	40.1 - 47.7	28	68.3	66.4 - 70.2	94	61.1	59.4 - 62.7	146
g. Planted a school food or vegetable garden	21.6	18.4 - 25.2	24	7.2	5.4 - 9.4	27	23.4	21.7 - 25.2	94	20.2	18.9 - 21.6	145
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	71.4	67.6 - 74.9	24	82.1	78.9 - 84.8	28	59.9	57.8 - 61.9	95	65.7	64.1 - 67.3	147

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
i. Used attractive displays for fruits and vegetables in the cafeteria	67.3	63.4 - 71.0	24	86.2	83.4 - 88.5	28	62.2	60.1 - 64.1	93	67.5	65.9 - 69.0	145
j. Offered a self-serve salad bar to students	96.0	94.1 - 97.3	24	93.6	91.6 - 95.1	28	89.4	88.1 - 90.6	94	91.2	90.2 - 92.1	146
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	16.1	13.4 - 19.3	24	13.8	11.5 - 16.6	28	13.8	12.4 - 15.2	94	14.1	13.0 - 15.3	146
l. Encouraged students to drink plain water	81.9	78.5 - 84.9	24	87.2	84.6 - 89.4	28	77.5	75.8 - 79.2	93	80.0	78.7 - 81.3	145
m. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	45.0	41.0 - 49.1	24	29.5	26.1 - 33.2	28	27.8	26.0 - 29.7	94	30.8	29.3 - 32.3	146
n. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	57.8	53.7 - 61.8	24	53.7	49.9 - 57.5	28	28.6	26.8 - 30.5	94	37.8	36.2 - 39.4	146

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

33. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	56.3	52.2 - 60.3	24	68.2	64.6 - 71.7	28	60.9	58.8 - 62.8	95	61.5	59.9 - 63.1	147
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	44.2	40.3 - 48.3	24	71.7	68.1 - 75.0	28	55.6	53.6 - 57.6	95	56.8	55.2 - 58.5	147
c. On school buses or other vehicles used to transport students	60.8	56.7 - 64.8	24	75.1	71.7 - 78.3	28	64.8	62.9 - 66.8	95	66.1	64.5 - 67.7	147
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	48.8	44.7 - 52.8	24	71.7	68.1 - 75.0	28	60.9	58.8 - 62.8	95	61.0	59.4 - 62.6	147
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	52.8	48.7 - 56.8	24	72.2	68.7 - 75.5	28	58.5	56.5 - 60.5	95	60.2	58.5 - 61.8	147

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

34. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Yes, in all locations	86.7	83.5 - 89.3	23	76.6	73.0 - 79.8	26	81.5	79.8 - 83.1	92	81.4	80.1 - 82.7	141
b. Yes, in certain locations	13.3	10.7 - 16.5	23	23.4	20.2 - 27.0	26	14.2	12.8 - 15.7	92	15.7	14.5 - 17.0	141
c. No	0.0	†	23	0.0	†	26	4.3	3.6 - 5.3	92	2.9	2.4 - 3.5	141

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

34N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	23	100.0	†	26	95.7	94.7 - 96.4	92	97.1	96.5 - 97.6	141

† Confidence intervals not applicable for 0 percent or 100 percent.  
 N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

35. Percentage of schools that offer a free source of drinking water in the following locations.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Cafeteria during breakfast	96.0	94.1 - 97.3	24	97.1	95.6 - 98.0	28	97.8	97.1 - 98.4	92	97.4	96.8 - 97.9	144
b. Cafeteria during lunch	96.0	94.1 - 97.3	24	97.1	95.6 - 98.0	28	97.8	97.1 - 98.4	92	97.4	96.8 - 97.9	144
c. Gymnasium or other indoor physical activity facilities	92.0	89.5 - 93.9	24	100.0	†	28	98.0	97.3 - 98.5	94	97.4	96.9 - 97.9	146
d. Outdoor physical activity facilities and sports fields	63.3	59.3 - 67.1	24	73.4	69.8 - 76.8	28	71.4	69.5 - 73.3	88	70.5	68.9 - 72.0	140
e. Hallways throughout the school	100.0	†	24	100.0	†	28	100.0	†	95	100.0	†	147

\*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

36. Percentage of schools that have a full-time registered nurse who provides health services to students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
8.0	6.1 - 10.5	24	13.3	11.0 - 16.0	28	2.8	2.2 - 3.5	95	5.6	4.9 - 6.3	147

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

37. Percentage of schools that have a part-time registered nurse who provides health services to students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
36.2	32.4 - 40.2	24	42.7	39.0 - 46.5	28	5.9	5.0 - 6.9	95	17.4	16.2 - 18.6	147

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

38. Percentage of schools that have a school-based health center that offers health services to students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
4.0	2.7 - 5.9	24	6.9	5.3 - 9.1	28	6.1	5.2 - 7.2	95	6.0	5.2 - 6.8	147

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

39. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV testing	0.0	†	24	0.0	†	28	0.0	†	95	0.0	†	147
b. HIV treatment (ongoing medical care for persons living with HIV)	0.0	†	23	0.0	†	28	0.0	†	95	0.0	†	146
c. STD testing	0.0	†	23	0.0	†	28	0.0	†	95	0.0	†	146
d. STD treatment	0.0	†	23	0.0	†	28	0.0	†	95	0.0	†	146
e. Pregnancy testing	0.0	†	23	0.0	†	28	0.0	†	95	0.0	†	146
f. Provision of condoms	0.0	†	23	0.0	†	28	0.0	†	95	0.0	†	146
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	0.0	†	23	0.0	†	28	0.0	†	95	0.0	†	146
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	0.0	†	23	0.0	†	28	0.0	†	95	0.0	†	146
i. Prenatal care	0.0	†	23	0.0	†	28	0.0	†	95	0.0	†	146
j. Human papillomavirus (HPV) vaccine administration	0.0	†	23	0.0	†	28	4.1	3.4 - 5.0	95	2.8	2.3 - 3.4	146

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV testing	50.8	46.2 - 55.4	19	24.9	21.7 - 28.4	26	22.8	21.0 - 24.6	84	27.1	25.5 - 28.6	129
b. HIV treatment (ongoing medical care for persons living with HIV)	55.3	51.1 - 59.4	23	30.1	26.8 - 33.6	28	27.4	25.6 - 29.3	95	32.0	30.5 - 33.6	146
c. nPEP (non-occupational post-exposure prophylaxis for HIV--a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	51.1	46.9 - 55.2	23	30.1	26.8 - 33.6	28	28.6	26.7 - 30.5	95	32.2	30.7 - 33.8	146
d. STD testing	50.8	46.2 - 55.4	19	24.9	21.7 - 28.4	26	23.0	21.2 - 24.9	83	27.3	25.7 - 28.8	128
e. STD treatment	48.4	43.9 - 52.8	20	24.9	21.7 - 28.4	26	21.5	19.7 - 23.3	84	26.0	24.5 - 27.6	130
f. Pregnancy testing	53.5	48.8 - 58.2	18	24.9	21.7 - 28.4	26	22.7	20.9 - 24.6	84	27.2	25.7 - 28.8	128
g. Provision of condoms	38.7	34.5 - 43.1	20	21.2	18.2 - 24.5	26	15.4	13.9 - 17.0	87	19.8	18.4 - 21.2	133
h. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	38.7	34.5 - 43.1	20	21.2	18.2 - 24.5	26	15.4	13.9 - 17.0	87	19.8	18.4 - 21.2	133
i. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	38.7	34.5 - 43.1	20	24.9	21.7 - 28.4	26	19.8	18.1 - 21.6	87	23.4	22.0 - 24.9	133
j. Prenatal care	50.8	46.2 - 55.4	19	24.9	21.7 - 28.4	26	23.3	21.4 - 25.2	82	27.5	25.9 - 29.1	127
k. Human papillomavirus (HPV) vaccine administration	55.3	51.1 - 59.4	23	30.1	26.8 - 33.6	28	36.2	34.3 - 38.2	94	37.9	36.3 - 39.6	145

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

41. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
	95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
42.7	38.6 - 46.8	23	41.7	37.9 - 45.5	28	47.3	45.2 - 49.4	93	45.5	43.9 - 47.2	144

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

42. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Asthma	91.2	88.5 - 93.3	24	90.7	88.4 - 92.5	28	87.1	85.6 - 88.4	95	88.4	87.3 - 89.4	147
b. Food allergies	91.2	88.5 - 93.3	24	93.6	91.6 - 95.1	28	90.2	88.9 - 91.4	95	91.0	90.0 - 91.9	147
c. Diabetes	91.2	88.5 - 93.3	24	80.4	77.0 - 83.4	28	87.2	85.8 - 88.5	95	86.6	85.4 - 87.7	147
d. Epilepsy or seizure disorder	86.7	83.6 - 89.3	24	82.6	79.5 - 85.3	28	86.1	84.6 - 87.5	95	85.5	84.3 - 86.7	147
e. Obesity	12.1	9.7 - 14.9	24	9.9	7.9 - 12.3	28	20.9	19.3 - 22.6	95	17.5	16.3 - 18.8	147
f. Hypertension/high blood pressure	57.1	53.0 - 61.0	24	40.5	36.8 - 44.2	28	41.9	39.9 - 44.0	95	44.0	42.4 - 45.6	147

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

43. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	40.2	36.3 - 44.2	24	37.5	34.0 - 41.3	28	37.6	35.6 - 39.6	95	38.0	36.4 - 39.6	147
b. Food allergies	40.2	36.3 - 44.2	24	37.5	34.0 - 41.3	28	37.4	35.5 - 39.4	95	37.9	36.3 - 39.5	147
c. Diabetes	40.2	36.3 - 44.2	24	37.5	34.0 - 41.3	28	36.5	34.6 - 38.5	95	37.3	35.7 - 38.9	147
d. Epilepsy or seizure disorder	40.2	36.3 - 44.2	24	37.5	34.0 - 41.3	28	34.4	32.5 - 36.4	95	35.9	34.3 - 37.5	147
e. Obesity	28.2	24.7 - 31.9	24	16.8	14.2 - 19.7	28	28.2	26.4 - 30.1	95	26.1	24.7 - 27.6	147
f. Hypertension/high blood pressure	40.2	36.3 - 44.2	24	30.6	27.3 - 34.2	28	31.3	29.4 - 33.2	95	32.5	31.0 - 34.1	147

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

44. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are provided.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. This school does not provide any sexual or reproductive health services	100.0	†	24	82.2	79.1 - 84.9	26	87.9	86.5 - 89.2	93	88.8	87.7 - 89.8	143
b. Parental consent is required before any sexual or reproductive health services are provided	0.0	†	24	10.2	8.2 - 12.7	26	7.6	6.6 - 8.8	93	6.9	6.1 - 7.8	143
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request	0.0	†	24	0.0	†	26	2.2	1.7 - 2.9	93	1.5	1.1 - 1.9	143
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided	0.0	†	24	3.8	2.6 - 5.6	26	1.1	0.8 - 1.7	93	1.4	1.1 - 1.9	143
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided	0.0	†	24	0.0	†	26	1.1	0.8 - 1.7	93	0.8	0.5 - 1.1	143
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided	0.0	†	24	3.8	2.6 - 5.6	26	0.0	†	93	0.7	0.4 - 1.0	143

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

45. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are referred.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. This school does not refer any sexual or reproductive health services	44.1	39.6 - 48.7	19	68.5	64.6 - 72.1	24	70.3	68.2 - 72.3	78	66.1	64.3 - 67.8	121
b. Parental consent is required before any sexual or reproductive health services are referred	0.0	†	19	15.2	12.5 - 18.2	24	19.3	17.5 - 21.1	78	15.6	14.4 - 17.0	121
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services referred only upon request	10.2	7.7 - 13.2	19	0.0	†	24	4.0	3.2 - 5.1	78	4.2	3.5 - 5.0	121
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service referred	30.5	26.5 - 34.8	19	8.2	6.2 - 10.7	24	6.4	5.4 - 7.6	78	10.3	9.3 - 11.4	121
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services referred	0.0	†	19	4.1	2.8 - 6.0	24	0.0	†	78	0.8	0.5 - 1.2	121
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services referred	15.2	12.3 - 18.8	19	4.1	2.8 - 6.0	24	0.0	†	78	3.0	2.5 - 3.7	121

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

46. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Provided parents and families with information about how to communicate with their child about sex	17.3	14.4 - 20.6	23	23.1	19.9 - 26.6	28	12.6	11.3 - 14.0	95	15.2	14.1 - 16.5	146
b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	52.4	48.2 - 56.5	23	53.2	49.4 - 57.0	28	30.6	28.8 - 32.5	95	38.0	36.4 - 39.7	146
c. Involved parents as school volunteers in the delivery of health education activities and services	17.3	14.4 - 20.6	23	9.7	7.7 - 12.0	27	20.1	18.5 - 21.8	95	17.8	16.6 - 19.1	145
d. Linked parents and families to health services and programs in the community	60.7	56.6 - 64.7	23	79.7	76.2 - 82.8	27	46.0	44.0 - 48.1	95	54.3	52.6 - 56.0	145

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

47. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
65.2	61.1 - 69.0	23	78.6	75.3 - 81.6	28	63.3	61.3 - 65.2	95	66.4	64.8 - 67.9	146

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

48. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
21.0	17.8 - 24.5	23	25.9	22.7 - 29.4	28	10.4	9.2 - 11.7	95	14.9	13.7 - 16.1	146

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

49. Percentage of schools that provide service-learning opportunities for students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
67.8	63.7 - 71.6	23	70.0	66.3 - 73.4	28	42.6	40.6 - 44.7	95	51.5	49.8 - 53.1	146

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

50. Percentage of schools that provide peer tutoring opportunities for students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
86.1	82.9 - 88.8	23	64.7	61.0 - 68.3	28	71.3	69.4 - 73.1	95	72.3	70.8 - 73.8	146

**NORTH DAKOTA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

51. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
29.3	25.7 - 33.2	23	24.9	21.7 - 28.3	28	35.9	34.0 - 37.9	95	32.9	31.3 - 34.5	146